

# 2011

## OBSERVATIONAL SURVEY OF SEAT BELT USE IN OHIO

John R. Kasich, Governor

Thomas P. Charles, Director

Ohio Department of  
Public Safety

Office of Criminal  
Justice Services



# 2011

## OBSERVATIONAL SURVEY OF SEAT BELT USE IN OHIO

Submitted by:

**Robert L. Seufert, PhD, Director**  
**Amy J. Walton, Project Analyst and IT Coordinator**  
**Kaitlin A. Kubilius, Senior Research Associate**

**Applied Research Center**  
**2 South Main Street**  
**Middletown, Ohio 45044**  
**(513) 217-4306**  
**seuferrl@muohio.edu**

**John R. Kasich, Governor**

**Thomas P. Charles, Director**

**Ohio Department of  
Public Safety**

**Office of Criminal  
Justice Services**



## Acknowledgements

Funding provided by the U.S. Department of Transportation and the  
National Highway Traffic Safety Administration

The Ohio Department of Public Safety and its Office of Criminal Justice Services (OJCS), with funding from the National Highway Traffic Safety Administration, demonstrate their professional commitment to reducing highway fatalities and serious injuries throughout Ohio by undertaking this large-scale, statewide observation survey of seat belt use annually. I sincerely appreciate the support provided by Robert Wakefield, OJCS Special Projects Coordinator, and the assistance provided by Felice J. Moretti, Federal Projects Manager, Ohio Department of Public Safety Office and its Office of Criminal Justice Services.

The Ohio Department of Public Safety Office and its Office of Criminal Justice Services administration and the Applied Research Center's Director and staff are grateful to James Chapman for his help in coordinating the field observation phase of this project and to retired officers of the Ohio State Highway Patrol for their professional field observations.

*Robert L. Seufert*  
October, 2011

# TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY.....</b>	<b>1</b>
<b>BACKGROUND.....</b>	<b>3</b>
<b>METHODOLOGY .....</b>	<b>5</b>
Sample Stratification.....	5
Sample Size and Allocation to Strata.....	6
Site Selection Procedures.....	8
Data Collection and Observer Training .....	9
Statistical Analysis.....	11
<b>RESULTS.....</b>	<b>14</b>
Statewide Seat Belt Use .....	14
Regional Seat Belt Use .....	14
Vehicle Type and Seat Belt Use .....	17
Driver and Passenger Seat Belt Use.....	19
Sex of Vehicle Occupants and Seat Belt Use .....	20
Age of Vehicle Occupants and Seat Belt Use.....	21
Race of Vehicle Occupants and Seat Belt Use .....	24
Observation Site Type and Seat Belt Use .....	26
Cross-tabulations of Observation Characteristics and Seat Belt Use.....	27
Media and Enforcement Interventions.....	28
<b>STATISTICAL ANALYSIS.....</b>	<b>29</b>
Driver Seat Belt Use .....	29
Driver Seat Belt Use When a Passenger is Present.....	31
Passenger Belt Use.....	33
Summary of Multivariate Analysis .....	35
<b>CONCLUSIONS .....</b>	<b>36</b>
<b>RECOMMENDATIONS .....</b>	<b>37</b>
<b>REFERENCES.....</b>	<b>40</b>
<b>APPENDIX A: SITE LOCATIONS.....</b>	<b>42</b>
<b>APPENDIX B: SITE DESCRIPTION FORM.....</b>	<b>49</b>
<b>APPENDIX C: DATA COLLECTION FORM.....</b>	<b>50</b>
<b>APPENDIX D: CORRELATION ANALYSIS.....</b>	<b>51</b>

All correspondence regarding this report should be directed to the Office of Criminal Justice Services, by mail at: P.O. Box 182081, Columbus, Ohio 43218-2081, or by phone at: (614) 466-3250.

## EXECUTIVE SUMMARY

**Overview:** The 2011 baseline *Click It or Ticket* observation survey of seat belt use in Ohio contained 21,170 vehicle occupants—18,195 drivers and 2,975 passengers. After the *Click It or Ticket* media campaign and enforcement initiatives, another sample of 22,971 occupants was observed at the same sites with 19,380 drivers and 3,591 passengers. Results of the second survey indicate that Ohio’s 2011 seat belt use rate is **84.12%**, surpassing the 2010 belt usage rate of 83.8%. Consequently, the 2011 survey results, with an overall minimum margin of error of  $\pm 1\%$ , were derived from the second observational survey conducted after the combined *Click It or Ticket* media campaign and enforcement initiatives had been fully implemented. The above seat belt use rate for Ohio was formally reported to the National Highway Traffic Safety Administration (NHTSA).

In consultation with the Applied Research Center, retired officers of the Ohio State Highway Patrol (OSHP) conducted observation surveys of seat belt use at 244 randomly selected sites in 48 of Ohio’s 88 counties (see methodology). The surveys were conducted on randomly selected days of the week and times of day, and included occupants of non-commercial passenger cars, vans and minivans, sport utility vehicles (SUVs), and pickup trucks. Additional findings, which remain generally consistent with previous surveys, include the following:

- The seat belt use rate of pickup truck occupants (75%) is significantly lower than that of occupants of passenger cars (85%), minivans (88%), or SUVs (85%).
- The Northeast region has the highest seat belt use rate (86%) while the Southeast region continues to have the lowest (76%, unchanged from 2010).
- The statewide rate for drivers (85%) continued to be slightly higher than that of passengers (81%).
- Female vehicle occupants continue to have a significantly higher rate of seat belt use (88%) than male occupants (81%).
- Caucasian vehicle occupants have a significantly higher rate of seat belt use (85%) than African-American occupants (75%).
- For vehicle occupants ages 15 and above, there was a steady increase in seat belt use as age increased. Seat belt use is lowest for vehicle occupants ages 15-25 (77%) and highest for occupants ages 65 and above (89%).

The following Ohio trends in seat belt use have occurred in sub-populations since the 2000 campaign survey:

- Between 2000 and 2011, the overall seat belt use rates have increased significantly in Ohio (i.e., from 65.3% in 2000 to 84.1% in 2011). Since 2000, increases in seat belt use also occurred in Ohio’s five regions, as follows:
  - Central region rates of seat belt use increased from 65% in 2000 to a peak of 84% in 2011.
  - Northeast region seat belt use rates increased from 61% to a regional high of 86% in 2011.
  - Northwest region seat belt rates increased from 65% to a regional high of nearly 86% in 2009 and 2010, declined to 83% in 2011.
  - Southeast region seat belt use rates increased from 67% to a high of 80% in 2006, and then declined to 76% in 2010 and 2011.

- Southwest region seat belt use rates increased from 62% to a regional high of 86% in 2009 and 2010, falling slightly to 85% in 2011.
- Usage rates for occupants of all vehicle types have increased. Most notably, the seat belt use rate of pickup truck occupants has increased from 49% in 2000 to 75% in 2011 (peaking at 76% in 2009).
- Seat belt use rates for both drivers and passengers have increased (from 66% in 2000 to 85% in 2011 for drivers and from 62% in 2000 to 81% in 2011 for passengers, the highest rates observed for both groups).
- Male seat belt use has increased from 55% in 2000 to 81% in 2011.
- Between 2000 and 2011, both driver and passenger seat belt use rates for the following age groups increased: from 54% to 77% for ages 15-25; from 66% to 85% for ages 26-64; and from 71% to 89% for ages 65 and older.

**Recommendations:** As in previous years, 2011 survey results illustrate that specific populations warrant special attention because their relatively lower rates of seat belt use hamper progress on increasing the overall seat belt use rate. Due to the absence of a primary seat belt law in Ohio, to increase overall seat belt use, greater compliance must occur among populations with relatively low rates of seat belt use. Therefore, ongoing media and enforcement initiatives, which promote greater seat belt use must be strengthened and directed disproportionately at the following populations:

- Southeast Region Vehicle Occupants
- Vehicle Occupants Age 15-25
- Vehicle Occupants Age 5-14
- Male Vehicle Occupants
- Pickup Truck Occupants
- African-American Vehicle Occupants

## BACKGROUND

Since 1991, Ohio has conducted an annual observational survey to determine seat belt use following guidelines set by the National Highway Traffic Safety Administration (NHTSA). These guidelines have traditionally given individual states much discretion in survey design and implementation, with the stipulation that each state must generate a probability-based estimate for seat belt usage of front outboard occupants of passenger vehicles. This seat belt use estimate must have a required level of precision of less than 5% relative error and a 95% confidence coefficient. Individual states have been permitted to decide how much additional information to collect based on the resources available.

In 1998, NHTSA requested that states collect vehicle-specific information as part of the survey process. Specifically, all states were asked to collect information that would permit them to generate usage rates for occupants of four types of vehicles: passenger cars, vans/minivans, sport utility vehicles (SUVs), and pickup trucks. Since 1991, and prior to 1998, Ohio's seat belt surveys only collected data from occupants of passenger cars, minivans and SUVs, and results from each site were pooled so that observers did not record seat belt use for specific types of vehicles. Therefore, the only data available were aggregate data from each site that provided overall counts of driver and passenger seat belt use. Thus, in 1998, Ohio's survey required some modifications in the way that seat belt use data were collected in order to provide the vehicle-specific information requested by NHTSA. Also, data on license plate origins (i.e., from which state the plate was issued) have not been collected since 1999, because out-of-state vehicles were only a very small proportion of vehicles observed during previous years. In 2009 through 2011, with the exception of the addition of driver's cell phone use on the observation form, the survey methodology was identical to that used in the 2008 observation surveys.<sup>1</sup>

Data were collected from vehicles stopped at randomly selected intersections and freeway off-ramps, so observers had ample opportunity to collect data from each individual vehicle observed. Traffic control devices such as traffic signals or stop signs were present at all observation site locations. This method gives observers not only the opportunity to collect general use data, but to collect additional demographic information on seat belt use in addition to vehicle type. Ohio and other states have found differences in seat belt use as a function of vehicle type, sex, and age. Research also indicates that seat belt use varies as a function of race and ethnicity. Consequently, the race of vehicle occupants was added to the survey in 2004 and has been retained in subsequent surveys. Additionally, as noted previously, the cell phone use of the driver was added to the 2009 through 2011 surveys. Modifying the survey to collect vehicle-specific information (i.e., data on usage in various vehicle types) and demographic data vastly increases our knowledge about the Ohioans who are likely to wear (or not wear) their seat belts.

---

<sup>1</sup> Information on driver cell phone use will be included in a separate document.

Also, to provide geographical information about regional trends in seat belt use, the survey is structured to estimate seat belt use on a regional level. That is, the sample is stratified by geographic region to allow for the estimation of seat belt use in various parts of the state.

This narrative contains the following sections:<sup>2</sup>

- **Methodology:** The methodology, approved by NHTSA, outlines the manner in which observation sites were chosen and data were collected and analyzed.
- **Results:** Descriptive results of seat belt use (e.g., percent of observations by sex, age, vehicle type, race, and region) are presented first in the same manner as in past *Observational Surveys of Seat Belt Use in Ohio*.
- **Recommendations:** Recommendations are based on the data derived from both the descriptive statistics and the multivariate analysis.
- **References and Appendices** containing observation sites and forms are also included.

The following section contains a full description of the methodological procedures approved by NHTSA to estimate seat belt use in 2011.

---


<sup>2</sup> In 2005, extensive statistical analysis was performed on the data to further explore the relationship between the variables in the observational surveys (e.g., driver, passenger, vehicle, and site characteristics) and driver and passenger seat belt use. This included correlation coefficients and logistic regression that showed relationships between variables, helping to further define populations that could benefit from media and/or enforcement initiatives. Comparable statistical analysis of the 2011 data are included in the current report.

# METHODOLOGY

## Sample Stratification

As in previous years, the 2011 sample was stratified by region. Observation sites were randomly selected signaled intersections and off-ramps from each of the five geographic regions of the state (Figure 1). The method of selection described later in this section was used to ensure that all intersections and off-ramps in the sample of counties had an *equal probability of selection*. That is, all intersections and off-ramps, regardless of their location or traffic volumes, had equal likelihoods of selection as survey sites.


**Figure 1: Counties by Region**



As a preliminary measure to eliminate many low-volume sites, counties with low populations (and low rates of vehicle-miles of travel [VMT]) were excluded from the sample space. Federal guidelines permit the exclusion of low-population counties (cumulatively accounting for 15% or less of the state’s population) from the sample space so that the costs of sampling in these areas may be constrained. The present survey methodology excluded 40 low-population counties that cumulatively account for approximately 13% of the state’s population,<sup>3</sup> reducing the sample of Ohio counties from 88 to 48 (see Figure 2 for counties).

<sup>3</sup> Some low-population counties were included to ensure that all regions would be adequately represented in the sample space.

**Figure 2: Counties in 2011 Sample**



## Sample Size and Allocation to Strata

Observation sites within this sample of Ohio counties were randomly selected signalized intersections (i.e., with a traffic signal or stop sign) and freeway off-ramps. These signalized locations allow for more detailed vehicle, driver, and occupant information to be recorded by observers while vehicles are stopped. Studies have shown that there is no discernible difference in the accuracy and reliability of seat belt use estimates obtained through stopped-vehicle direct observation (SVDO) compared to moving-vehicle direct observation (MVDO) (Eby, Streff, & Christoff, 1996). Although Ohio’s survey previously employed the MVDO method, the change to an SVDO method enables the collection of more detailed information without any loss in accuracy. Collected information includes vehicle type, driver and passenger belt use, sex, age, and race; and, beginning in 2009, driver cell phone use. Cell phone use data are not included in the current report but will be presented in another document.

The necessary number of intersection and off-ramp sites was determined based on two factors. Of primary consideration was the number of observations necessary to estimate seat belt use with 5% relative error and 95% confidence. Second, the number of sites had to be large enough to ensure a fairly equitable distribution of sites across days of the week and times of the day. The number of observations needed to estimate seat belt use at the  $\alpha = .05$  (95% confidence) level was determined. A power analysis was performed using data from Ohio’s

past observational surveys. Based on this analysis, a minimum of 7,600 observations were required to estimate overall seat belt use with the desired amount of precision.

The next step in determining the necessary number of sites was to estimate the average number of observations that could be made at each site. Pilot tests of Ohio’s data collection form, and the results of similar surveys in other states, indicated that a conservative estimate would be an average of 50 observations per site per hour. To achieve the desired minimum of 7,600 observations, at least 152 sites would be required for data collection. For the 2011 survey, with formal approval from NHTSA in 2008 and considering VMT and the distribution of freeway exit ramps and signaled intersections, 244 randomly selected sites were observed to ensure a more representative sample of signaled intersection and freeway off-ramp sites, while still maintaining their equitable distribution across strata, days of the week, and times of day. Also, all of the 2011 sites were physically reviewed prior to the official observation to ensure site integrity; these sites were either reviewed by ODPS’s Law Enforcement Liaisons or by retired Ohio State Highway Patrol (OSHP) observers in 1999, 2000, and 2002 through 2011. Additional reviews of specific sites were undertaken by the ARC Director and staff. Appendix A contains the **Site Locations**.

The number of sites allocated to each stratum was generally proportional to the statewide VMT in each region. Table 1 lists the VMT and number of sites in each stratum. This method of site distribution allocated more sites to more heavily traveled regions of the state. Thus, in the overall state estimate, more statistical weight based on VMT was given to more heavily traveled regions. The reported rates represent seat belt use per VMT travel.

Table 1: Number of Sites Allocated to Strata				
Strata	Region	VMT	% of Total	Number of Sites
1	Central	19,092,587,745	17.23%	40
2	Northeast	38,814,326,718	35.04%	89
3	Northwest	15,610,024,541	14.09%	31
4	Southeast	9,314,328,583	8.41%	18
5	Southwest	27,944,642,769	25.23%	66
<b>TOTAL</b>		<b>110,775,910,357</b>	<b>100.00%</b>	<b>244</b>

Finally, the number of intersections and freeway off-ramps to be observed in each stratum was determined. As a first step in determining the number of intersections and off-ramps that would be selected as observation sites, the percentage of annual traffic on these types of roadways was computed. Based on estimates from the Ohio Department of Transportation, about 33% of all travel occurs on limited access roadways (i.e., interstates and expressways/freeways). Accordingly, about 33% of the sites in each stratum should be randomly selected freeway exit ramps, and the remaining 67% of the sites should be randomly selected intersections. Table 2 lists the final number of intersections and off-ramps selected from each stratum.

Table 2: Number of Intersection and Off-Ramp Sites in Strata				
Strata	Region	Off-Ramp Sites	Intersection Sites	Number of Sites
1	Central	16	24	40
2	Northeast	28	61	89
3	Northwest	10	21	31
4	Southeast	7	11	18
5	Southwest	22	44	66
<b>TOTAL</b>		<b>79</b>	<b>165</b>	<b>244</b>

## Site Selection Procedures

Sites selected during the planning of the 1998 survey were used again in the years that followed, with the exception of those sites described as problematic by the observer (for safety, observation clarity, or other reasons) and those considered to be low volume.<sup>4</sup> Such sites were replaced using the same procedures described below. They were then observed for traffic flow. In addition, when an alternate site was observed in 2009, it became a primary site in 2011, and a new alternate site was selected using the procedures described below.

Two different methods were used to randomly select intersections versus off-ramps. These methods follow those described in Eby and Streff (1994) and Eby and Hopp (1997). In selecting intersection sites, detailed, equal-scale county maps were used. A grid pattern was overlaid on each county map, with each square in the grid identified by a number on the abscissa (X-axis) and the ordinal (Y-axis).

The following intersection site selection procedure was used for each stratum. First, all eligible counties in each stratum were assigned a number. Using a statistical program to generate random numbers, a number representing a county was selected. Thus, each eligible county had an equal probability of selection at this point. Once a county was selected, X- and Y-coordinates on the grid were selected, again using the random number generator. As in the first step, all intersections within that county had an equal probability of selection at this stage. If a single intersection fell within the square, that intersection was chosen as an observation site. If the square did not fall within county boundaries, if the square did not contain an intersection, or if the intersection was located one road link from an intersection already selected, the entire selection was discarded and a new county selection was made (i.e., the process started over from the first step). If more than one intersection fell within the grid square, one of the intersections was selected at random and the appropriate weights were applied.

To determine the observer's location at a chosen site, the following procedure was applied: For each intersection, all possible combinations of street and traffic flow were determined. In this set of potential observer locations, one location was selected with probability equal to 1 divided by the number of locations. If the intersection was a four-legged intersection, the probability of selection for observer location was 1/4. In the case of "T" or "Y"

<sup>4</sup> Low-volume sites are defined as sites having 10 or fewer observations in the years 2000 through 2007.

intersections, there are only three possible observer locations, so the probability of selecting an observer location was 1/3. The effect of this difference in the probability of selection is negligible (see Eby & Hopp, 1997). For each primary site chosen, an alternate site was selected within an estimated 15-square mile radius of the primary site. These sites were also selected using a grid and randomly selected coordinates.

Freeway exit ramps within each stratum were also selected as randomly as possible. All eligible exit ramps in each of the five strata were numbered. The required number of ramps in each stratum was randomly sampled without replacement. Once ramps were selected, all possible combinations of traffic flow and observer locations were determined. These possible locations were then sampled with equal probability. For each site, a direction of travel was randomly selected. Alternate sites were the next interchange on the freeway along this direction. If the exit ramp had no traffic control device (i.e., stop sign or traffic signal) on the selected direction, the observer randomly picked a travel direction and lane with a traffic control device by flipping a coin.

Once all sites were selected, each site was assigned a number between one and 244; this number represents the total number of sites actually observed. Sites were randomly assigned to days of the week (Monday through Sunday) and time of day (7:00 AM to 7:00 PM). All days and eligible times had equal probability of selection. If circumstances arose that rendered a site unobservable at a predetermined day and time (e.g., heavy rain, construction, etc.), an administrative decision was made to determine site rescheduling.

Following Eby and Hopp, each observation site was self-weighted by traffic volumes within each stratum. That is, all sites had an equal observation interval (50 minutes). Traffic counts were recorded by observers at each site for the lane of traffic under observation. Only vehicle types eligible for inclusion in the survey were counted (i.e., passenger cars, vans or minivans, SUVs, and pickup trucks). Seat belt use in each region (stratum) was then weighted by traffic volumes at the site. Consequently, more heavily-traveled sites (compared to those sites with lighter traffic) carried a greater weight in the regional estimates and overall state estimate.

## Data Collection and Observer Training

Retired officers of the Ohio State Highway Patrol (OSHP) conducted field observations. Observers dressed in plain clothes<sup>5</sup> so that their presence would not unduly influence motorists' behavior. Observers were provided with survey forms (see Appendices B and C), a list of survey sites, alternate sites, observation locations, and a schedule for data collection days and times.

Eligible vehicles were all passenger cars, vans or minivans, SUVs, and pickup trucks. Historic vehicles were not included in the survey; observers were instructed to disregard all vehicles of this type.<sup>6</sup> Observations during 2011

---

<sup>5</sup> Recommended attire for observers in the field was dark pants or shorts and a white or light-colored shirt.

<sup>6</sup> Historic vehicles are defined as any vehicle bearing a state-issued historic vehicle license plate.

focused on non-commercial vehicles.<sup>7</sup> Therefore, commercial vehicle data were excluded from the 2011 analysis, as recommended by NHTSA. For all eligible vehicles, seat belt use information and demographic information were recorded for front outboard occupants (drivers and front-seat passengers).

Those conducting the observation surveys had attended an Applied Research Center (ARC) training session at a central location. This training provided detailed information on procedures to be followed at each site. Each observer received a manual outlining all field procedures and a site schedule specifying the date and time each site was to be observed. Observers also received specific instructions as to which lane of traffic they should observe at the site and an instrument with which to perform traffic counts. This location was pre-determined and randomly selected. Training consisted of a review of the documentation and a discussion on how to handle unexpected issues in the field. If an observer was unable to attend the training, he or she was sent the training manual and all materials, and was required to discuss the observations with the Applied Research Center Director and staff or the observer coordinator. Also, ARC personnel provided ongoing technical assistance throughout the survey.

Of primary consideration in the training session was how to decide when a site would be unobservable. Observations were to be made in all weather conditions unless the weather obscured observers' views into the vehicles in the designated lane of traffic they were observing or presented a safety hazard to the observer in the field. If unexpected conditions made observations difficult or impossible (e.g., construction, damaged power lines, etc.) observers were instructed to document the problem on the site description forms and to move to the alternate site for data collection. If problems arose at the alternate site, observers were instructed to proceed to the closest observable site.

Observers were informed that for quality control purposes, several sites were to be randomly selected for unannounced visits in order to ensure that the study procedures were followed. Fourteen sites (5% of the total) were monitored by the observer coordinator (through both visits to observers at observation sites and through phone contact) and all monitoring visits or calls indicated that observers were fully complying with field procedures. Regular contact with observers was maintained during the survey period to ensure that survey protocols were followed.

Upon arriving at a site, observers completed the **Site Description Form** (see Appendix B) for each site observed. This form provides information on the nature of the site (intersection or off-ramp), location of the site, time and day observed, start and end times of data collection, and information regarding conditions at the site (e.g. weather, visibility, etc.). Following Eby & Hopp (1997), usage rate estimates are weighted by site-specific VMT.

---

<sup>7</sup> Commercial vehicles are defined as any vehicle bearing the name of a business or any unmarked vehicle transporting commercial equipment.

Observers recorded traffic counts for five minutes before the observation period began and for another five minutes following the end of the observation period. Weights were applied in the way described in Eby & Hopp.<sup>8</sup>

Observers collected data at each assigned site for 50 minutes, recording as many observations as possible during that time. Observers recorded seat belt usage information and demographic information, both while vehicles were stopped in the designated lane at the traffic control device, and while traffic was moving through the intersection. When traffic was moving, observers were asked to record data for as many vehicles as possible.

Observers recorded the following information *for each noncommercial vehicle observed* by checking the appropriate category or categories on the **Data Collection Form** (see Appendix C):

- Vehicle type (passenger car, van/minivan, SUV, pickup truck)
- Driver and front outboard passenger seat belt usage (belted, unbelted)
- Driver and front outboard passenger sex (Male, Female)
- Driver and front outboard passenger age (0-4, 5-14, 15-25, 26-64, 65+)
- Driver and front outboard passenger race (Caucasian, African-American, Other)
- Cell phone use of driver, to be included in a separate report

## Statistical Analysis

The **Site Description Forms** and **Data Collection Forms** were returned directly to the Miami University Applied Research Center and a cursory review of the forms and data from each observer and site was performed. Site and vehicle-specific information were linked in the final dataset used for statistical analysis. All analyses were performed using a combination of Microsoft Excel, Access, and SPSS.

Estimates from each site were weighted by VMT in corresponding regional estimates, and each regional estimate was weighted by VMT in the overall statewide estimate. To accomplish this, the two five-minute traffic counts from each site were summed and multiplied by five. The resulting value represented the *estimated* total number ( $N_e$ ) of vehicles that passed through the site during the fifty-minute observation interval (Eby & Hopp, 1997). To compute seat belt usage rates, this estimated count ( $N_e$ ) was divided by the actual vehicle counts from each site, yielding a weighting factor. Weights were then multiplied by the number of belted front seat occupants and total occupants. This process is summarized in Formula 1.

---

<sup>8</sup> “The weighting was done by first adding each of the two five-minute counts of eligible vehicles and then multiplying this number by five so that it would represent a 50-minute duration. The resulting number was the estimated number of vehicles passing the site if all eligible vehicles had been included in the survey during the observation period at the site. The estimated count then was divided by the actual vehicle counts at the site, yielding a weighted N for the number of total drivers and passengers and total number of belted drivers and belted passengers for each vehicle type” (Eby & Hopp 1997, p.14).

**Formula 1:**

$$r_h = \frac{\sum \frac{N_e}{N_a} (N_b)}{\sum \frac{N_e}{N_a} (N_o)}$$

Where:

 $r_h$  = Seat belt usage rate in stratum  $h$  $N_e$  = Estimated traffic count (at site  $i$  in stratum  $h$ ) $N_a$  = Actual traffic count (at site  $i$  in stratum  $h$ ) $N_b$  = Number of belted occupants (at site  $i$  in stratum  $h$ ) $N_o$  = Number of occupants observed (at site  $i$  in stratum  $h$ )

This formula was used in computing the overall estimate. The formula was modified in estimating usage rates for specific subgroups. For example,  $N_a$  in the formula above was changed to reflect the actual number of vehicles in the subset by drivers, passengers, passenger cars, SUVs, vans/minivans, pickup trucks, males, and females (etc.) observed at a site during the 50-minute observation period. Thus, seat belt usage estimates for subgroups were also weighted by VMT at the sites.

Overall seat belt usage rates were computed from regional estimates using the following formula:

**Formula 2:**

$$r_{total} = \sum_{i=1}^h \frac{V_h r_h}{V_{total}}$$

Where:

 $r_{total}$  = Overall seat belt usage rate $r_h$  = Seat belt usage rate in stratum  $h$  $h$  = Total number of strata in sample $V_h$  = Estimated VMT in stratum  $h$  $V_{total}$  = Total statewide estimated VMT

Variance for usage rate estimates was computed using the following formula (Eby & Hopp, 1997). First, variance estimates were computed for each stratum using Formula 3.

**Formula 3:**

$$\sigma_h^2 = \frac{V_h}{V_h - 1} \sum \left( \frac{g_i}{g_{total}} \right)^2 (r_i - r_h)^2$$

Where:

 $\sigma_h^2$  = Variance for stratum  $h$  $V_h$  = Estimated VMT in stratum  $h$  $g_i$  = Weighted number of vehicle occupants at site  $i$  $g_{total}$  = Total weighted number of occupants in stratum  $h$  $r_i$  = Seat belt usage rate at site  $i$  $r_h$  = Seat belt usage rate in stratum  $h$ 

Overall variance estimates were computed from stratum variance estimates using Formula 4<sup>9</sup> (Eby and Hopp, 1997).

**Formula 4:**

$$\sigma_{total}^2 = \sum \left( \frac{N_h}{N} \right)^2 \sigma_h^2$$

Where:

 $\sigma_{total}^2$  = Overall variance $N_h$  = Number of sites in stratum  $h$  $N$  = Total number of observed sites $\sigma_h^2$  = Variance for stratum  $h$ 

<sup>9</sup> This formula may also be expressed as  $(V_h/V)^2 s_h^2$  [where  $V_h$  = est. VMT in stratum  $h$  and  $V$  = total est. VMT], if so desired.

Standard deviations were computed by taking the square root of the variance. Confidence intervals were computed using the standard formula:

**Formula 5:**

$$\mu = r_{total} \pm 1.96 \sigma_{total}$$

Other usage rate and corresponding standard deviation may be substituted for  $r_{total}$  and  $\sigma_{total}$ .

During 2011, data from the observation surveys and site description forms were combined and analyzed using correlation coefficients and multivariate analysis (i.e., logistic regression). This multivariate analysis further clarifies the relationship between driver and passenger seat belt use and other driver, passenger, vehicle, and site characteristics. Since the dependent variable is binary (correctly wearing a seat belt = 1, while incorrectly wearing a seat belt or not wearing a seat belt = 0), logistic regression was used to conduct the analysis.

For more than a single independent variable, the logistic regression model can be written as follows:

$$\text{Probability (event)} = \frac{e^z}{1 + e^z}$$

or, when Z is due to the linear combination of variables:

$$Z = B_0 + B_1 X_1 + B_2 X_2 + \dots + B_p X_p$$

In the above regression equation, each B value (i.e.,  $B_1$  through  $B_p$ ) represents the odds of an event, such as correctly wearing a seat belt, controlling for other variables in the logistic regression model or equation (Norusis, 1999; Hosmer and Lemeshow, 2000).

Propensity scores were also used to analyze factors influencing seat belt use. In a propensity score analysis, two samples independent are matched based on the propensity scores derived from a combination of background variables. In this case, the two samples were the baseline and post-intervention surveys; the samples were matched based on region, driver or passenger, sex, race, age, site type, and vehicle type. The propensity score analysis confirmed that the baseline and the post-intervention samples and results were statistically identical; consequently, those results are not included in this report.

Results of these multivariate analyses are included later in this report.

# RESULTS

## Statewide Seat Belt Use

The official 2011 overall seat belt use rate for vehicle occupants from Ohio is 84.1% (Table 3). This rate is a slight improvement over the 2009 rate of 83.8%. Due to the large sample size of 22,971 observations, the survey has a confidence interval of approximately plus or minus 1%.

Alone, the 2011 rate is a point estimate of seat belt use. Applying a confidence interval determines a range of values that allows seat belt use to be estimated with a desired amount of certainty. NHTSA guidelines specify a 95% confidence level and a confidence interval of plus or minus 5%. By applying Formula 5, we can be **95% certain** that Ohio's seat belt usage for all vehicle occupants is within  $\pm 1\%$  of **84.1%**, well within NHTSA specifications, and approaching the target seat belt use rate of 85%.

95% Confidence Interval: **83.1% - 85.1%**


A total of 19,380 drivers and 3,591 passengers were observed at 244 observation sites, exceeding the NHTSA minimum requirement of 7,600 observations. On average, 79 vehicles and 94 occupants were observed per site.

## Regional Seat Belt Use

Region	Usage Rate
Central	84.34%
Northeast	85.64%
Northwest	82.50%
Southeast	76.38%
Southwest	85.35%
<b>Statewide</b>	<b>84.12%</b>

As can be seen in Table 3, Central, Northwest, and Southeast regions of the state each have a seat belt use rate below the state average. Increasing seat belt use in these regions, particularly the high population/high crash Central region, is imperative.

**Figure 3 Seat Belt Use Statewide and By Region**




As shown in Figure 3, with some exceptions, seat belt use clearly increased between 2002 and 2011 statewide. While individual regions show upward trends for the nine years illustrated in Figure 3, the Southeast region has the least consistent rates by far, despite consistent numbers of total observations.

Note: The Northwest region bar for 2003 (marked “a.”) is confirmed to be an outlier year for that region.

It is important to note that the overall estimate is based on all front outboard occupants observed in all four vehicles types.<sup>10</sup> Because pickup trucks were excluded from the survey until 1998, the 2011 rate is only comparable to rates since 1998. Calculating the 2011 rate without pickup trucks indicates a usage rate of approximately 85.2%, highlighting the detrimental effect of low seat belt use rates among pickup truck occupants on the overall seat belt use rate. Figure 4 represents unweighted seat belt usage excluding pickup trucks. The weighted rate including pickup trucks (in green) shows that while the rate without pickup trucks is higher than when pickups are included, the rates have been converging over the years, probably because pickup truck occupants have increased seat belt use relatively more than occupants of other vehicle types since 2000. Also, pickup trucks represent only 15.1% of all vehicles and 14.9% of occupants observed during the 2011 observational survey, down from 17.9% of vehicles and 17.4% of occupants in 2004 (the earliest year for which appropriate data were accessible to us). This slight decline may contribute to the rate convergence.

Commercial vehicles were excluded from these historically comparable rates as specified by NHTSA.

**Figure 4** Seat Belt Use for Passenger Car, Van/Minivan, and SUV Occupants



<sup>10</sup> Data on the four vehicle types—passenger cars, vans/minivans, sport utility vehicles, and pickup trucks—have been collected since the 1998 survey.

## Vehicle Type and Seat Belt Use

As in previous surveys, pickup truck occupants had a significantly lower seat belt use rate than occupants of other vehicles types during 2011, presenting an opportunity to increase overall seat belt use in the future (see Table 4).

Vehicle Type	Usage Rate
Passenger Car	84.84%
Van/Minivan	87.54%
SUV	85.39%
Pickup Truck	75.44%


The results for each vehicle type by region are presented in Table 5.<sup>11</sup> As shown, occupants of pickup trucks had a significantly lower rate of seat belt use than occupants in all other vehicle types, regardless of region. Seat belt use was lowest among pickup truck occupants in the Southeast region; the Southeast also had the lowest seat belt use rates for the other vehicle types.

Region	Passenger Car	Unweighted N	Van / Minivan	Unweighted N	SUV	Unweighted N	Pickup Truck	Unweighted N
Central	84.53%	2,173	81.87%	485	87.15%	1,037	77.63%	550
Northeast	86.94%	5,427	88.63%	1,197	85.57%	1,999	75.50%	1,461
Northwest	82.24%	1,141	89.08%	303	85.70%	417	75.25%	435
Southeast	79.63%	668	83.59%	143	76.80%	333	64.02%	302
Southwest	85.34%	2,557	90.37%	657	86.63%	1,023	77.78%	679
<b>Statewide</b>	<b>84.84%</b>	<b>11,966</b>	<b>87.54%</b>	<b>2,767</b>	<b>85.39%</b>	<b>4,809</b>	<b>75.44%</b>	<b>3,427</b>

Figure 5, on the following page, shows that seat belt use increased substantially between 2002 and 2011 for each vehicle type.

<sup>11</sup> “Unweighted N” indicates the total number in observations of that category.

**Figure 5 Seat Belt Use Statewide and by Vehicle Type**




## Driver and Passenger Seat Belt Use

Ohio's seat belt observation survey has traditionally found differences between drivers and passengers in their rates of seat belt use, although the two rates are strongly correlated and reciprocal. Table 6 summarizes the results for drivers and passengers, respectively, by region.

Region	Drivers	Unweighted N	Passengers	Unweighted N
Central	85.08%	3,304	81.90%	941
Northeast	86.31%	8,745	86.14%	1,323
Northwest	83.28%	2,026	72.74%	270
Southeast	77.27%	1,156	71.46%	290
Southwest	86.37%	4,149	82.14%	767
<b>Statewide</b>	<b>84.92%</b>	<b>19,380</b>	<b>81.28%</b>	<b>3,591</b>

Figure 6 Seat Belt Use Statewide and by Occupant Type



As in previous years, the overall seat belt use rate for drivers is slightly higher than that of passengers, in four of the five regions (Figure 6). As usual, a direct relationship was found between driver and passenger seat belt use ( $r = .64$ ,  $p \leq .001$ ). Although causality cannot be directly inferred from a correlation, the strength of the association between driver and passenger seat belt use suggests that passengers were more likely to be belted when drivers were belted and vice versa.

## Sex of Vehicle Occupants and Seat Belt Use

Detailed information was collected on occupants' sex, and separate estimates were generated for male and female front outboard occupants. Consistent with past Ohio survey results, female occupants had higher rates of seat belt use than did male occupants. The disparity varied between approximately 5.0 and 8.9 percentage points for each region (Table 7).

Table 7: Male and Female Occupants Usage Rates by Region

Region	Males	Unweighted N	Females	Unweighted N
Central	81.15%	2,138	87.46%	2,104
Northeast	82.11%	5,122	90.01%	4,943
Northwest	80.16%	1,321	85.12%	975
Southeast	71.81%	739	80.72%	706
Southwest	82.64%	2,574	88.92%	2,338
<b>Statewide</b>	<b>80.94%</b>	<b>11,894</b>	<b>87.83%</b>	<b>11,066</b>

A comparison of male and female driver and passenger seat belt use rates depicted in Tables 8 and 9 reveal that although male drivers are less likely than female drivers to wear seat belts, this gap becomes even more pronounced when male and female rates are compared for passengers. (This is complicated by the fact that there are relatively fewer males than females riding as front-seat passengers.) When riding as passengers, only 71% of males were observed to be buckled up in 2011, compared to nearly 87% of female passengers. The results for male and female drivers and passengers are summarized by region in Table 8 and Table 9.

Table 8: Male Driver and Passenger Usage Rates


Region	Male Driver	Unweighted N	Male Passenger	Unweighted N
Central	81.95%	1,830	74.63%	308
Northeast	82.57%	4,679	82.31%	443
Northwest	81.62%	1,246	45.15%	75
Southeast	73.20%	635	61.98%	104
Southwest	83.89%	2,313	69.35%	261
<b>Statewide</b>	<b>81.87%</b>	<b>10,703</b>	<b>70.77%</b>	<b>1,191</b>

Table 9: Female Driver and Passenger Usage Rates

Region	Female Driver	Unweighted N	Female Passenger	Unweighted N
Central	88.53%	1,474	85.43%	630
Northeast	90.41%	4,063	88.03%	880
Northwest	85.07%	780	88.05%	195
Southeast	81.96%	520	76.34%	186
Southwest	89.87%	1,832	88.27%	506
<b>Statewide</b>	<b>88.49%</b>	<b>8,669</b>	<b>86.66%</b>	<b>2,397</b>

Figure 7 demonstrates that male occupants, a high-risk group, improved their seat belt use by 24% between 2002 and 2011. While female seat belt use increased 16%, their overall rate of seat belt use was, as in previous years, greater than that of males.

**Figure 7 Seat Belt Use Statewide and by Sex**



### Age of Vehicle Occupants and Seat Belt Use


Table 10 and Figure 8 illustrate the following relationships between age and seat belt use: 1.) Seat belt use for vehicle occupants age 5-14 remained 83% and unchanged since 2008. However, it is important to note that the number of observed vehicle occupants who were age 5-14 years is relatively low, especially when cross-tabulated by region. 2.) As usual, compared to other age groups, seat belt use was lowest (77%) among vehicle occupants age 15-25. 3.) However, seat belt use increases among older occupants, reaching 85% among occupants age 26-64 and 89% among those who are age 65 and older. The small sample of very young occupants made it impossible to generate a reliable estimate for the 0-4 age group.

Table 10 and Figure 8 summarize the results for each age group by region. The longitudinal trends between 2002 and 2011 in seat belt use by age group are contained in Figure 8.

Table 10: Occupants' restraint use by age group								
Region	5 - 14		15 - 25		26 - 64		65 +	
	Rate	Unweighted N	Rate	Unweighted N	Rate	Unweighted N	Rate	Unweighted N
Central	82.40%	118	79.59%	647	84.21%	2,792	92.36%	686
Northeast	82.25%	155	76.19%	1,171	86.23%	7,665	90.05%	1,064
Northwest	91.29%	18	72.73%	415	84.63%	1,565	80.25%	297
Southeast	54.10%	31	64.89%	243	76.91%	1,008	83.30%	164
Southwest	89.95%	86	81.73%	1,147	86.02%	3,043	91.57%	630
Statewide	<b>83.12%</b>	<b>408</b>	<b>76.74%</b>	<b>3,623</b>	<b>84.82%</b>	<b>16,073</b>	<b>88.88%</b>	<b>2,841</b>

Figure 8 shows that since 2002, vehicle occupants age 15-25 (the highest risk group) improved their seat belt use by 24%. All age groups showed a marked increase in seat belt use since 2002; however, it is important to note that recent changes have been very small, in some cases showing slight declines. The improvement in occupant restraint use for young children is in keeping with recent efforts by the OJCS, although the current survey methodology does not address the issue of proper booster seat use among children who have outgrown safety seats.

**Figure 8 Seat Belt Use Statewide and by Age Group**



## Race of Vehicle Occupants and Seat Belt Use

Beginning in 2004, the observation survey assessed seat belt use by race: Caucasian, African-American, and individuals of other races (“other”). The present observation methodology precluded the collection of more detailed race information; therefore, these surveys provide data on seat belt use primarily by Caucasians and African-Americans. Also, due to the demographic characteristics of Ohio and the difficulty of clearly determining race with the current methodology, the number of vehicle occupants identified as African-American was relatively small (1,154 vehicles and 1,292 occupants) and is probably an undercount. However, data from the 2001 National Household Travel Survey indicates that approximately 95% of Caucasian households compared to only about 80% of African-American households own one or more motor vehicles. Also, Caucasian households are relatively more likely than African-American households to own multiple vehicles. Mindful of these caveats, the overall statewide data are consistent with findings from other research (Shults et. al., 2004). Overall statewide seat belt use among African-Americans (75%) is significantly lower than the 85% usage rate among Caucasians (Table 11). Regional rates for African-Americans have been less stable than for Caucasians since 2009. It is also important to note that while Caucasians’ seat belt use improved 12% from 2004 to 2011, African Americans’ seat belt use improved nearly 30% during this same time period.


While there were too few African-American observations to generate reliable estimates for most of the other subgroup comparisons (i.e., age, sex, vehicle type, and some regions), the sizable disparity between African-American and Caucasian seat belt use persists and represents a significant highway safety issue. Consequently, while being mindful of the relatively small sample of minorities in this study, African-Americans may be at greater risk of death and serious injury from crashes that occur in Ohio.

Table 11: Seat Belt Use Rates of African-American and Caucasian Occupants by Region

Region	African-American	Unweighted N	Caucasian	Unweighted N
Central	73.14%	223	84.76%	3,933
Northeast	77.20%	619	86.54%	9,376
Northwest	75.60%	105	83.67%	2,173
Southeast	54.75%	21	76.62%	1,423
Southwest	80.66%	378	85.76%	4,490
<b>Statewide</b>	<b>75.26%</b>	<b>1,346</b>	<b>84.80%</b>	<b>21,395</b>

Figure 9 shows that seat belt use among African-Americans has increased progressively since data were first collected on race in 2004. However, their current use rates are only slightly better than Caucasian rates from 2004, and the Caucasian use rate in 2011 is nearly 13% percent higher than the 2011 seat belt use rate of African-Americans.

**Figure 9     Seat Belt Use Statewide and by Race**




## Observation Site Type and Seat Belt Use

Table 12 summarizes the results for usage by observation site type.

Table 12: Usage Rates by Site Type		
Region	Usage Rate	Unweighted N
Intersection	81.38%	14,416
Freeway Ramp	86.84%	8,555

**Figure 10 Seat Belt Use Statewide and by Site Type**



As illustrated in Figure 10, seat belt use has been higher on limited access roadways (i.e., interstates and expressways). This was again true in 2011 and is most likely due to the greater perceived risk and subsequent behavior associated with travel at higher speeds on limited access roadways and, on average, with traveling relatively longer distances on such roadways. During the past ten years, observed seat belt use increased at a similar rate on both freeway ramps (19%) and intersections (21%). However, seat belt use on freeway exit ramps remained substantially higher than at intersections throughout all survey years.

## Cross-tabulations of Observation Characteristics and Seat Belt Use

Tables 13 through 15 illustrate seat belt use rates based on several demographic, occupant, and vehicle characteristics. As indicated and consistent with previous survey results, male pickup truck drivers age 15-25 had the lowest seat belt usage rate of all drivers, while female van/minivan drivers aged 65 years or older had higher rates than other drivers. Many of the passenger seat belt use rates are based on relatively few observations and thus have a larger sampling error. That caveat should be kept in mind when interpreting data in those categories. However, these rates do indicate that passengers of pickup trucks had relatively low usage rates.

Table 13: Driver and Passenger Usage Rates by Age and Sex

		Drivers	Unweighted N	Passengers	Unweighted N
Ages 15-25	Males	70.89%	1,440	71.17%	311
	Females	84.08%	1,466	76.29%	405
Ages 26-64	Males	82.55%	7,871	64.71%	528
	Females	88.95%	6,431	85.11%	1,235
Ages 65+	Males	88.68%	1,386	78.20%	133
	Females	90.10%	768	92.55%	553

Table 14: Driver and Passenger Usage Rates by Age and Vehicle Type

		Drivers	Unweighted N	Passengers	Unweighted N
Ages 15-25	Passenger Car	77.98%	1,975	73.37%	429
	Van / Minivan	81.77%	153	70.16%	73
	SUV	79.54%	440	71.08%	130
	Pickup Truck	64.72%	339	70.59%	84
Ages 26-64	Passenger Car	86.52%	6,949	83.36%	777
	Van / Minivan	87.78%	1,830	86.01%	280
	SUV	87.18%	3,233	79.90%	426
	Pickup Truck	76.79%	2,294	66.68%	283
Ages 65+	Passenger Car	89.25%	1,255	83.74%	402
	Van / Minivan	94.41%	250	88.67%	97
	SUV	91.83%	344	88.35%	123
	Pickup Truck	83.36%	305	85.71%	64

Table 15: Driver and Passenger Usage Rates by Sex and Vehicle Type


		Drivers	Unweighted N	Passengers	Unweighted N
Males	Passenger Car	83.58%	5,175	69.10%	544
	Van / Minivan	85.06%	1,067	80.69%	178
	SUV	82.71%	1,878	78.44%	242
	Pickup Truck	75.12%	2,583	55.77%	227
Females	Passenger Car	87.81%	5,003	86.10%	1,240
	Van / Minivan	90.29%	1,167	88.16%	355
	SUV	89.16%	2,143	85.27%	544
	Pickup Truck	85.12%	354	80.12%	258

## Media and Enforcement Interventions

The 2011 Observational Seat Belt Study reports only results from the second observational survey which occurred after multiple interventions, including media campaigns and enforcement initiatives such as *Click It or Ticket*. Therefore, it is useful to compare usage rates among Surveys 1 (Baseline) and 2, shown in Figure 11.

As shown below, statewide occupant seat belt use increased 2 percentage points from Survey 1 to Survey 2, which is expected and consistent with previous years' surveys. Once again, these results illustrate the effectiveness of the *Click It or Ticket* campaigns and enforcement initiatives.

**Figure 11 2011 Seat Belt Use by Survey Number**



# STATISTICAL ANALYSIS

Logistic regression was used to discover the primary determinants of seat belt use in drivers and passengers.

## Driver Seat Belt Use

Correlation analysis of driver belt use, regardless of whether a passenger was present, can be found in Appendix D, Tables D-1 through D-3. Table 12 includes the logistic regression analysis using driver seat belt use as the dependent variable and illustrates the most important observation characteristics that increased or decreased seat belt use by taking into account multiple variables. For both surveys and the two surveys combined, several characteristics strongly predict driver seat belt use:

- Female drivers were 31% more likely to wear a seat belt than other drivers ( $p \leq .001$ )
- Drivers with correctly belted passengers are 13% to 18% more likely than other drivers to be correctly belted themselves ( $p \leq .001$ )
- Drivers in heavier traffic were approximately 3% more likely than other drivers to buckle up ( $p \leq .001$ )
- Additionally, when the two surveys were combined, drivers were 12% more likely to be belted during the second survey ( $p \leq .001$ )

Drivers were less likely to buckle up when the following characteristics were observed in both surveys and the two surveys combined:

- Drivers between the ages of 15-25 were only 70% as likely as other drivers to buckle up ( $p \leq .001$ )
- African-American drivers were only 60% to 66% as likely as other drivers to wear a seat belt ( $p \leq .001$ )
- Pickup truck drivers were only 62% to 67% as likely as other drivers to wear a seat belt ( $p \leq .001$ )
- Drivers in the Southeast region of Ohio were only 73% as likely as other drivers to buckle up ( $p \leq .001$ )
- Drivers observed in intersections were only 83% as likely as other drivers to be correctly belted ( $p \leq .001$ )

Drivers were somewhat less likely to wear a seat belt during weekends only when the two surveys were combined ( $p \leq .05$ ). Additionally, they were less likely to buckle up in sunny conditions during Survey 1 ( $p \leq .01$ ) and when the two surveys were combined ( $p \leq .05$ ). Finally, in the combined surveys, driver cell phone use was also weakly indicative of failure to buckle up ( $p \leq .05$ ).

Each logistic regression equation had an explanatory value of between 4% and 5%.

Table 12 Logistic Regression: Driver safety belt use regressed on driver, passenger, vehicle, and site characteristics for each survey and all surveys combined

Variable	Survey 1		Survey 2		All Surveys	
	B	Exp(B)	B	Exp(B)	B	Exp(B)
Sex of Driver	.271***	1.311	.270***	1.310	.269***	1.309
Driver Age 15-25	-.361***	.697	-.327***	.721	-.341***	.711
Driver Age 65+	-.002	.998	.078	1.081	.040	1.040
African-American Driver	-.420***	.657	-.517***	.596	-.473***	.623
Passenger Car	-.066	.936	-.022	.978	-.044	.957
Pickup Truck	-.475***	.622	-.396***	.673	-.434***	.648
Passenger Belted Correctly	.168***	1.183	.122***	1.130	.143***	1.154
Weekend Observation	-.080	.923	-.054	.947	-.071*	.931
Central Region	-.093	.911	-.033	.968	-.058	.943
Northwest Region	.071	1.073	-.078	.925	-.006	.994
Southeast Region	-.320***	.726	-.309***	.734	-.307***	.735
Sunny Conditions	-.132**	.877	-.012	.989	-.066*	.937
Intersection Site	-.190***	.827	-.172***	.842	-.181***	.834
Vehicle Volume at Site	.028***	1.028	.029***	1.029	.028***	1.029
Driver Cell Phone Use	-.069	.934	-.110	.896	-.087*	.916
Survey Number					.115***	1.122
Nagelkerke R <sup>2</sup>	.052		.040		.047	
Vehicle n	18,195		19,380		37,575	

\* p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

## Driver Seat Belt Use When a Passenger is Present

Correlation analysis of driver belt use only with a passenger present can be found in Appendix D, Tables D-4 through D-6. The logistic regression analysis, which takes into account every variable entered into the equation, is presented in Table 13. For both surveys and the combined surveys, when the passenger was buckled up, it multiplied the odds that the driver was buckled up by eleven (11). Passenger belt use was, therefore, by far the greatest predictor of driver belt use. When the surveys were combined, being a female driver weakly increased the odds that the driver was correctly belted; female drivers were 19% more likely to buckle up than male drivers when a passenger was present. The explanatory power of each logistic regression was between 43% and 44%.

Table 13 Logistic Regression: Driver safety belt use with passenger present regressed on driver, passenger, vehicle, and site characteristics for each survey and all surveys combined

Variable	Survey 1		Survey 2		All Surveys	
	B	Exp(B)	B	Exp(B)	B	Exp(B)
Sex of Driver	.202	1.224	.098	1.173	.180*	1.197
Driver Age 15-25	-.116	.890	.123	.866	-.127	0.881
Driver Age 65 +	.050	1.051	.128	1.065	.057	1.058
African-American Driver	-.136	.873	.187	.909	-.118	0.888
Pickup Truck	-.237	.789	.128	.850	-.196*	0.821
Passenger Belted Correctly	2.417***	11.208	.097***	11.601	2.435***	11.419
Passenger Age 0-14	-.174	.840	.146	.950	-.104	0.900
Weekend Observation	-.004	.996	.096	1.018	.006	1.006
Central Region	-.056	.946	.106	.951	-.054	0.947
Northwest Region	.044	1.045	.174	.893	-.047	0.953
Southeast Region	-.227	.797	.165	.893	-.169	0.844
Sunny Conditions	-.057	.944	.102	.953	-.052	0.949
Intersection Site	-.119	.887	.096	.919	-.098	0.906
Vehicle Volume at Site	-.005	.995	.015	1.005	.001	1.000
Driver Cell Phone Use	-.025	.976	.306	.928	-.056	0.945
Survey Number					.027	1.027
Nagelkerke R <sup>2</sup>	.441		.427		.433	
Vehicle n	2975		3,591		6,566	

\* p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

## Passenger Belt Use

Correlation analysis of passenger belt use can be found in Appendix D, Tables D-7 through D-9. The logistic regression analysis, which takes into account every variable entered into the equation, is presented in Table 14.

The results in Table 14 are similar to those in Table 13, with “belted driver” standing in for “belted passenger”—again illustrating the reciprocal effect of driver and passenger seat belt use. For both surveys and the combined surveys, only two characteristics were strongly predictive of passenger belt use: female passenger ( $p \leq .001$ ) and belted driver ( $p \leq .001$ )—with the latter multiplying the odds of passenger belt use fifteen (15) times. In the combined surveys, when the passenger was very young (age 0 to 14), he or she was also about 30% more likely to be belted correctly ( $p \leq .05$ ) than other passengers.

Table 14 Logistic Regression: Passenger safety belt use regressed on driver, passenger, vehicle, and site characteristics for each survey and all surveys combined

Variable	Survey 1		Survey 2		Combined Surveys	
	B	Exp(B)	B	Exp(B)	B	Exp(B)
Sex of Passenger	.433***	1.541	.317**	1.373	.371***	1.448
Passenger Age 0-14	.251	1.285	.278	1.320	.268*	1.307
Passenger Age 15-25	-.199	.820	-.083	.920	-.139	0.870
African-American Passenger	-.139	.870	-.213	.808	-.181	0.834
Driver Belted Correctly	2.742***	15.514	2.717***	15.136	2.729***	15.323
Sex of Driver	-.111	.895	-.105	.901	-.108	0.897
Driver Age 65+	.131	1.140	.090	1.095	.108	1.113
Pickup Truck	-.047	.955	-.122	.885	-.090	0.913
Weekend Observation	.023	1.023	.087	1.091	.057	1.058
Central Region	.056	1.057	.036	1.037	.042	1.042
Northwest Region	.039	1.039	.072	1.074	.055	1.056
Southeast Region	.070	1.073	-.068	.934	.002	1.001
Sunny Conditions	.077	1.080	.048	1.049	.058	1.060
Intersection Site	-.025	.976	-.011	.989	-.017	0.983
Vehicle Volume at Site	.008	1.008	.008	1.008	.009	1.008
Driver Cell Phone Use	.159	1.173	-.022	.978	.062	1.064
Survey Number					.037	1.037
Nagelkerke R <sup>2</sup>	.471		.450		.460	
Vehicle n	2975		3,591		6,566	

\* p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

## Summary of Multivariate Analysis

The multivariate analysis emphasizes the importance of the reciprocal nature of driver and passenger belt use. This may be indicative of a “culture of belt use” within a family who regularly travels together, or some other kind of peer influence. When the driver belted/passenger belted independent variables are removed from their respective logistic regressions, the results of those regressions more closely resembles the results of the correlation analysis. Specifically, we can identify several populations who are far less likely to buckle up when all other variables are taken into consideration:

- Male drivers and passengers
- Drivers age 15-25
- Pickup truck occupants
- African-American drivers and passengers
- Occupants observed in the Southeast region of the state

In contrast, female drivers and passengers are significantly more likely to buckle up, and drivers and passengers age 65 and above also buckle up disproportionately to other age groups. A higher vehicle volume at the observed site also tends to increase belt use among occupants.

Since males make up 55% of all observed drivers and a full third of all passengers, increasing belt use in this population should continue to be of the highest priority. The youngest drivers and pickup truck occupants each account for 15% of all observations, as well. African-American occupants and occupants in the Southeast region each only account for approximately 6% of observations. Nevertheless, increased belt use in all of these categories would save lives and improve Ohio’s overall seat belt use rate.

We also used propensity matching (based on driver, vehicle, and site characteristics, but not belt use) to create two statistically identical samples; i.e., Survey 1 and Survey 2 were statistically identical and had the same number of cases when unmatched observations were eliminated. When a t-test was performed on driver belt use using the matched sample, there was not a significant increase in driver belt use between surveys 1 and 2. None of the other background variables differed significantly except weather (sunny conditions and the presence of precipitation), which is to be expected since the surveys were conducted first in April and then in June, 2011. Logistic regression analysis performed similarly to the analysis outlined above produced no discernable difference between the matched and unmatched samples.

## CONCLUSIONS

As reported, the 2011 overall Ohio seat belt use rate is 84.1%, a slight improvement over the 2010 rate of 83.8%. Also, seat belt use for specific populations has generally continued to increase, although these upward trends have been increasingly minimal over the last few years. Nevertheless, consistent with previous state surveys, the 2011 survey has identified the groups that warrant special attention because of their lower rates of seat belt use. Due to the absence of a primary seat belt law in Ohio, to increase overall seat belt use, significantly greater compliance with the present secondary seat belt law must occur among those populations that consistently have relatively low rates of seat belt use. Hence, media and enforcement initiatives; which promote greater seat belt use, must be strengthened; become ongoing, rather than periodic; and be directed disproportionately at the following populations:

- Southeast Region Vehicle Occupants
- Vehicle Occupants Age 15-25
- Vehicle Passengers Age 5-14
- Male Vehicle Occupants
- Pickup Truck Occupants
- African-American Vehicle Occupants

One approach to increasing seat belt use is cited by Williams and Wells (2004: 179). They maintain that what is necessary in the United States to achieve seat belt use rates of 90% or greater is widespread, methodical, and sustained application of enforcement programs, augmented by the use of creative publicity campaigns. Another approach is the passage of a primary seat belt law, which could initially increase overall use rates by as much as 6%. A primary law could continue to increase seat belt use in diminishing increments thereafter, until a state maximum level is reached. The passage of a primary seat belt law could give Ohioans the “push” they need to comply with seat belt laws. A recent policy white paper by the Applied Research Center outlined Ohioans’ support for a primary law and their intent to obey it, based on statewide telephone surveys conducted yearly (Seufert, Kubilius, & Walton, 2007). Public support for a primary law is very promising. However, in absence of a primary seat belt law, Ohio can only strive to achieve a seat belt use rate of 85% or greater through widespread, methodical, and sustained enforcement programs and creative media campaigns directed disproportionately at the above groups who are least compliant with Ohio’s existing seat belt law.

## RECOMMENDATIONS

The 2011 Observation Survey of Seat Belt Use increases and reaffirms knowledge about Ohioans who are and are not using seat belts. While the survey results show incremental gains in seat belt use overall and in many subpopulations, the following groups have again been identified as meriting special attention due to relatively low usage rates: Southeast Ohio vehicle occupants and those from other rural areas; young drivers and their passengers; male drivers and their passengers; pickup truck occupants (both drivers and passengers); and African-American vehicle occupants. For the most part, these groups are identical to those identified during previous surveys. Furthermore, without a state primary seat belt law, increasing compliance with existing law by occupants with these characteristics is necessary to achieve a statewide seat belt use rate of 85% or greater.

1. **Southeast Region Vehicle Occupants:** During 2011, compared to other Ohio regions, the rural Southeast had the lowest usage rate (76%). Since much of Southeast Ohio is rural, a comparatively greater proportion of its observation sites are intersections, which typically have a lower usage rate than freeway ramps. Also, a higher proportion of occupants were observed in pickup trucks in the Southeast than in the other regions. Once again, pickup truck drivers and their passengers are a high risk subpopulation. However, it is important to emphasize that vehicle occupants in the Southeast Region had relatively lower levels of seat belt use for every vehicle type and occupant characteristic (i.e., driver and passenger, male and female, age and race).
2. **Vehicle Occupants Age 15 -25:** Vehicle occupants age 15-25 continued to exhibit a relatively low seat belt usage rate of 77%. The Southeast seat belt usage rate of 65% for occupants age 15-25 is lowest of the five regions. Since motor vehicle crashes are the leading cause of death among people age 15-20 (NHTSA, 2005), increasing seat belt use among young drivers and passengers is especially imperative. Therefore, increased statewide and targeted law enforcement and education initiatives should be directed toward this population. The life-saving rationale for greater seat belt use should be clearly emphasized. Also, innovative drivers' education programs and other initiatives aimed at increasing driving skill, knowledge, judgment, and personal responsibility among novice drivers would be highly beneficial.
3. **Vehicle Passengers Age 5-14:** In 2011, the seat belt use rate for occupants age 5-14 was 83%, unchanged since 2009. Due to the small number of observed occupants age 5-14, it is difficult to determine accurate regional belt use trends for this group. While a relatively small number of occupants age 5-14 were observed, this age group has among the highest rates of injury in traffic crashes compared to other age groups. In large part this is because seat belts are usually too large for the youngest members of this group. Therefore, it is important for passengers age 5-14 to fully understand the importance of buckling up on their own and of acting in accordance with this knowledge, instead of merely because an adult requests that they do so. Establishing an inherent motivation to buckle up among this age group should logically increase seat belt usage when they reach driving age. Consequently, increasing seat belt use among youths through school-

based and other program initiatives is essential in helping to reduce traffic-related fatalities and injuries in the state. Ohio's initiatives to increase booster seat use among young children will also help this endeavor.

4. **Male Vehicle Occupants:** Overall, male drivers and passengers are significantly less likely to wear seat belts in comparison with female drivers and passengers. For instance, during 2011, male driver and passenger seat belt usage rates were 82% and 71% respectively, while usage rates were 88% for female drivers and 87% for female passengers. Thus, messages designed to promote belt use should be directed specifically to males and their "significant others." By appealing to their sense of responsibility toward their families, children, and friends, as well as emphasizing the tangible safety benefits, male seat belt use should increase. Coupled with strict law enforcement, this multi-faceted effort would increase seat belt use among males both while driving and riding as passengers.
5. **Pickup Truck Occupants:** As in previous years, pickup truck occupants are one of the most important groups on which to focus media and enforcement initiatives. These individuals, and especially male pick-up truck drivers and their passengers of all ages, generally have significantly lower seat belt usage rates than occupants of other vehicles. For example, the seat belt usage rate among male pickup truck drivers is 75% and for male pickup truck passengers it is 56%. In contrast, usage rates are 85% for female pickup truck drivers and 80% for female pickup truck passengers (bearing in mind the relatively small number of observations in these categories). The usage rate is also low (65%) for pickup truck drivers and passengers ages 15 to 25. Overall, pickup trucks accounted for 15% of the vehicles observed during the 2011 survey. Based on the percentage of all registered vehicles in Ohio that are pickup trucks, the percent that are involved in fatal crashes, and the low compliance with seat belt law among pickup truck occupants, this group is at higher risk for death or serious injury from crashes. Therefore, increasing seat belt use among pickup truck drivers and passengers, especially males, is very important to reduce Ohio's traffic-related fatalities and serious injuries.
6. **African-American Vehicle Occupants:** During the 2011 survey, the statewide seat belt use rate by African-Americans of 75% is significantly lower than the 85% usage rate by Caucasians. African-Americans comprise only 5.7% of occupants in the observational survey, but comprise 12% of Ohio's population. However, as previously noted, according to the National Household Travel Survey (2001), 21.6% of Black households do not own vehicles, compared with 5.3% of White households. Nevertheless, correcting the low seat belt use of African-Americans is extremely important since traffic accidents are the leading cause of death for Black children and the second greatest cause of death among African-Americans between the ages of 15 and 24 (Wald, 2000). Therefore, culturally appropriate media and enforcement initiatives which promote greater seat belt use by members of the African-American community, especially youth, should definitely be increased.

In summary, innovative and sustained actions by the ODPS and the OJCS on the above six recommendations should be directed disproportionately at the above “high risk” groups in order to achieve significantly higher seat belt use in Ohio. In addition, concerned Ohioans should continue to pursue the passage of a primary seatbelt law. For instance, surveys of a representative sample of Ohioans with valid driver’s licenses illustrate that a majority would favor a primary seat belt law for the state, would obey such a law, and believe a primary law would have a significant positive impact on highway safety in Ohio (Seufert et. al., 2003-2009). Furthermore, a state can expect to experience a marked increase in seat belt use—perhaps 6% or more—with the passage of a primary seat belt use law. This may be particularly important in light of the fact that seat belt use has increased by only 1 percentage point during the last three Observation Surveys of Seat Belt Use in Ohio. Therefore, positive outcomes on seat belt use resulting from ODPS and OJCS actions on the above six recommendations would be further enhanced and sustained by passage of a primary seatbelt law.

## REFERENCES

- Eby, D. W., and Streff, F. M. (1994). *How to Conduct a Seat Belt Survey: A Step by Step Guide*. Ann Arbor, MI: The University of Michigan Transportation Research Institute.
- Eby, D. W., Streff, F. M., and Christoff, C. (1996). A comparison of two direct-observation methods for measuring daytime seat belt use. *Accident Analysis and Prevention*, 28(3), 403-407.
- Eby, D.W., and Hopp, M. L. (1997). *Direct Observation of Safety Belt Use in Michigan: Fall 1997*. Ann Arbor, MI: The University of Michigan Transportation Research Institute.
- Hosmer, D. W. & Lemeshow, S. (2000). *Applied Logistic Regression, Second Edition*. New York, NY: John Wiley & Sons, Inc.
- Center for Transportation Analysis (2001). *National Household Travel Survey 2001*. Oak Ridge, TN: Oak Ridge National Laboratory.
- National Highway Traffic Safety Administration (2008). "Traffic Safety Facts: 2007 Data." Washington, D.C.: National Center for Statistics and Analysis, National Highway Traffic Safety Administration. Retrieved 24 September 2008 from <http://www-nrd.nhtsa.dot.gov/Pubs/810949.PDF>.
- Norusis M. J. (1999). Logistic regression: SPSS Regression Models 10.0, 2, 3-8, Chicago, IL: SPSS, Inc.
- Seufert, R. L. (2004). "Public Policy Issues: A Primary Seat Belt Law for Ohio." *Governor's Highway Safety Office, Partnering For Safer Ohio Roadways, Winter 2004*. 2.
- Seufert, R. L. (2004). "Public Policy Issues: African-American Support of a Primary Seat Belt Law for Ohio." Prepared for the Ohio Department of Public Safety, Governor's Highway Safety Office, Middletown, OH: Applied Research Center, Miami University Middletown.
- Seufert, R. L. (2007). "Public Policy Issues: Passage of a Primary Seat Belt Law: What's Holding Ohio Back?" Middletown, OH: Applied Research Center, Miami University.
- Seufert, R. L., Kubilius, K. A., Newton, T. D., and Walton, A. J. (2007). *2007 Observational Survey of Seat Belt Use in Ohio*. Middletown, OH: Applied Research Center, Miami University.
- Seufert, R. L., & Walton, A. J. (2007). *Statewide Telephone Survey of Seat Belt Use and Alcohol-Impaired Driving 2006*. Middletown, OH: Applied Research Center, Miami University.
- Seufert, R. L., & Walton, A. J., and Kubilius, K. A. (2007). *Statewide Telephone Survey of Seat Belt Use and Alcohol-Impaired Driving 2007*. Middletown, OH: Applied Research Center, Miami University.
- Seufert, R. L., Walton, A. J., and Kubilius, K. A. (2006). *Statewide Telephone Survey of Seat Belt Use and Alcohol-Impaired Driving 2006*. Middletown, OH: Applied Research Center, Miami University Middletown.
- Seufert, R. L., Walton, A. J., and Kubilius, K. A. (2005). *Statewide Telephone Survey of Seat Belt Use and Alcohol-Impaired Driving 2005*. Middletown, OH: Applied Research Center, Miami University Middletown.

- Seufert, R. L., Walton, A. J., Elswick, T. L., and Kubilius, K. A. (2004). *Statewide Telephone Survey of Seat Belt Use and Alcohol-Impaired Driving 2004*. Middletown, OH: Applied Research Center, Miami University Middletown.
- Seufert, R. L., Walton, A. J., and Elswick, T. L. (2003). *Statewide Telephone Survey of Seat Belt Use and Alcohol-Impaired Driving 2003*. Middletown, OH: Applied Research Center, Miami University Middletown.
- Shults, R. A., Nichols, J. L., Dinh-Zarr, Tho, B., Sleet, D. A., and Elder, R. W. (2004). Effectiveness of primary enforcement seat belt laws and enhanced enforcement of seat belt laws: A summary of the guide to community preventive services systematic reviews. *Journal of Safety Research*, 35, 189-196.
- Wald, M.L. (2000, April 28). Safety; Ticketing the Unbelted: Will Blacks Be Targets? *New York Times*.
- Williams, A. F., and Wells, J. K. (2004). The role of enforcement programs in increasing seat belt use. *Safety Research*. 35(2), 175-180.

## APPENDIX A: SITE LOCATIONS

Site No.	County	Region	Primary Location	Municipality/ Township	Site Type
1	Delaware	C	EB Center Village Road @ SR 605	Harlem	I
2	Delaware	C	EB Home Road @ Dublin Road (SR 745)	Rathbone	I
3	Delaware	C	EB East Powell Road @ South Old State Road	Orange	I
4	Delaware	C	WB West Williams Street @ S Washington Street	Delaware	I
5	Delaware	C	NB Liberty Road @ Home Road	Liberty	I
6	Fairfield	C	WB W Sixth @ Harrison Avenue	Lancaster	I
7	Fairfield	C	SB N Broad Street @ 6th Avenue	Lancaster	I
8	Fairfield	C	NB Lancaster New Lexington Rd (SR 664) @ Logan Thornville Rd (SR 37)	near Bremen	I
9	Fairfield	C	NB Diley Road @ Long Road	Pickerington	I
10	Franklin	C	SB Hendron Road @ Main Street & Groveport Road	Groveport	I
11	Franklin	C	NB Demorest Road @ Clime Road	Madison	I
12	Franklin	C	EB Southwest Blvd @ Demorest Road	Grove City	I
13	Knox	C	SB South Market Street (US 62) @ Rambo Street (SR 438)	Danville	I
14	Knox	C	EB E Gambier Street & Gambier Road (SR 229) @ S Edgewood Road	Mt. Vernon	I
15	Knox	C	NB S Market Street (SR 586) @ Millersburg Road & W Liberty Street (US 62) becoming E Liberty Street & New Guliford Road (SR 541)	Martinsburg	I
16	Knox	C	EB S Clayton Street @ N Main Street & Main Street (US 36 & SR 3)	Centerburg	I
17	Licking	C	NB Jacksontown Road (SR 13) @ National Road (US 40)	Jacksontown/Licking Twp	I
18	Licking	C	SB Jacksontown Road (SR 13) @ National Road US 40	Jacksontown/Licking Twp	I
19	Licking	C	SB Country Club Drive @ Granville Road	Newark	I
20	Licking	C	WB Refugee Road @ Outville Road	Kirkersville/WLicking	I
21	Licking	C	SB North State Road (SR 661) @ Johnstown Utica Road (US 62)	near Homer Village	I
22	Marion	C	WB Owens Road W @ Gooding Road	near Owens	I
23	Marion	C	NB Delaware Ave or Marion-Waldo Road (SR 423) @ Barks Road	Marion	I
24	Marion	C	EB Water Street (SR 47) @ Main Street (SR 203)	Prospect	I
25	Pickaway	C	NB Nicholas Drive @ Northridge Road (SR 188)	Circleville	I
26	Pickaway	C	WB US 22 @ SR 104	near Circleville	I
27	Pickaway	C	EB Ashville-Fairfield Road @ Walnut Creek Pike (CR 7)	SE of Ashville	I
28	Ashland	NE	EB W Walnut Street @ Center Street (SR 60 & SR 511)	Ashland	I
29	Ashland	NE	SB SR 60 @ US 250	North of Savannah	I
30	Ashland	NE	EB CR 1600 @ Miffin Avenue (CR 1095)	Montgomery	I
31	Ashtabula	NE	SB SR 7 @ US 322 E	Williamsfield	I
32	Ashtabula	NE	SB Main Street (SR 45) @ East Water Street & Jefferson Street	Rock Creek	I
33	Ashtabula	NE	WB East Main St (US 6) @ Main Street on the East side of Andover Square	Andover	I
34	Ashtabula	NE	SB Pymatuning Lake Road (CR 166) @ US 322	Williamsfield	I
35	Ashtabula	NE	WB Waters Street Road (TR 554) @ S Maple Street (SR 45)	S of Orwell	I
36	Ashtabula	NE	SB Centennial Street @ Eastwood Street	Geneva	I
37	Ashtabula	NE	EB Center Street @ Elm Avenue	Ashtabula	I
38	Columbiana	NE	SB Jennings Avenue & Goshen Rd (SR 409) @ State St (SR173 & SR 14)	Salem	I
39	Columbiana	NE	SB St. Clair Avenue @ McKinnon Avenue & Maine Blvd	East Liverpool	I
40	Columbiana	NE	WB North Street @ N Market Street	East Palestine	I

Site No.	County	Region	Primary Location	Municipality/ Township	Site Type
41	Columbiana	NE	NB Dresden Avenue (SR 447) @ Irish Ridge Road (SR 170)	near Calcutta, Glenmoor, & La Croft	I
42	Columbiana	NE	WB Cameron Road (CR 424) @ SR 45	Wellsville Area (near Glasgow)	I
43	Columbiana	NE	WB McKinnon Street @ St. Clair Avenue	East Liverpool	I
44	Columbiana	NE	SB Park Way @ Anderson Blvd	East Liverpool	I
45	Columbiana	NE	SB S Beaver Street @ W Washington Street (SR164)	Lisbon	I
46	Cuyahoga	NE	WB Bedford Chagrin Pkwy & Egbert Road @ Union Street	Bedford	I
47	Cuyahoga	NE	WB Drake Road @ Pearl Road	Strongsville	I
48	Cuyahoga	NE	WB McCracken Blvd @ E 98th Street	Garfield Hts.	I
49	Cuyahoga	NE	EB Emery Road @ Brainard Road	Orange Village	I
50	Erie	NE	EB Mason Road (SR 13) @ Lake Street (SR 61)	Berlin Hts.	I
51	Erie	NE	NB Ceylon Road (CR 58) & South Street (SR 61) @ SR 113	S of Berlin Hts.	I
52	Erie	NE	SB Patten Tract Road (SR 43) @ Mason Road (SR 13)	Bloomington	I
53	Geauga	NE	WB Music Street @ Hemlock Point Road & Hemlock Road	near S Russell	I
54	Geauga	NE	WB Mayfield Road (US 322) @ Old State Road (SR 608)	Claridon Area	I
55	Geauga	NE	NB Madison Road (SR 528) @ Rock Creek Road (SR 166)	S of Thompson	I
56	Geauga	NE	WB Merritt Road @ Ravenna Road (SR 44)	NW of Burton/ Hambden Township	I
57	Huron	NE	NB Section Line 30 Street @ SR 547	Sherman	I
58	Lake	NE	EB Madison Avenue (SR 306) @ S Ridge Road & Riverside Drive (SR 84)	Painesville City	I
59	Lake	NE	WB Maplegrove Road @ Somrack Drive	N of Willoughby Hills	I
60	Lake	NE	WB Ohio Street @ Reynolds Road (SR 306)	SW of Mentor	I
61	Lake	NE	NB E 340th Street @ Jennison Street	Eastlake	I
62	Lake	NE	EB Blase-Nemeth Road @ Bacon Road (CR 305)	NE of Painesville	I
63	Lake	NE	WB Oakwood Blvd @ Hardy Road	Painesville-on-the-Lake	I
64	Lorain	NE	SB Root Road (SR 24) @ Station Road (SR 61)	near Columbia Center	I
65	Lorain	NE	NB West Road (SR 38) @ Norwalk Road (SR 18)	Penfield	I
66	Lorain	NE	SB Oberlin Road (CR 39) @ East Lorain Street (SR 511)	E of Oberlin	I
67	Lorain	NE	WB Ohio Street @ Glenwood Street	Elyria	I
68	Mahoning	NE	EB Boardman Canfield Road (US 224) @ Parkside Drive	W of Boardman	I
69	Mahoning	NE	SB S Broad Street (SR 46 & US 62) @ Lisbon Street (US 62)	Canfield Twp.	I
70	Medina	NE	WB Outlet Mall Road (this is a dedicated mall road, north of Willow Road (SR 90) @ Avon Lake Road (SR 83)	SE of Lodi	I
71	Medina	NE	WB Sharon Copley Road (SR 162) @ Ridge Road (SR 94)	Sharon Center	I
72	Medina	NE	NB Pearl Road (US 42) @ Hamilton (CR 76)	Abbeyville	I
73	Portage	NE	NB N Walnut Street @ E Central Avenue	Ravenna	I
74	Portage	NE	WB Lynn Road @ Rootstown Road	W of Rootstown	I
75	Portage	NE	SB Franklin Avenue @ Cherry Street	Kent	I
76	Portage	NE	NB Sebring Johnson Road @ SR 14	SE of Deerfield	I
77	Richland	NE	SB Rock Road @ Myers Road (CR 201)	S of Taylortown	I
78	Richland	NE	EB Shelby-Ganges Road (CR 61) @ Plymouth Springmill Road	NE of Shelby	I
79	Richland	NE	WB Marion Avenue (SR 146) @ S Home Road	SW of Mansfield	I
80	Stark	NE	EB Lincoln Way NW @ 23rd Street NW	W of Massillon	I

Site No.	County	Region	Primary Location	Municipality/ Township	Site Type
81	Stark	NE	NB Ravenna Ave NE (SR 44) @ Edison Street NE (SR 619)	NW of Alliance	I
82	Stark	NE	EB Farber Street SE @ Cleveland Ave SE (SR 800)	East Sparta	I
83	Summit	NE	EB E Steels Corners Road @ Wyoga Lake Road	E of East Steel Corners	I
84	Summit	NE	WB Huston Street @ 5th Street NE	Barberton	I
85	Summit	NE	WB Memorial Parkway @ North Portage Path	Akron	I
86	Summit	NE	NB Brown Street @ E Thornton Street	Akron	I
87	Summit	NE	NB S Hametown Road @ Minor Road (Note: S Hametown Road "skips" to the north after Minor Road without connecting)	SW of Copley	I
88	Summit	NE	SB Arlington Road (SR 15) @ Moore Road	N of East Liberty	I
89	Summit	NE	WB Carey Avenue @ 26th Street SW	SW of Akron	I
90	Trumbull	NE	NB S High Street (SR 5) @ Main Street	Cortland	I
91	Trumbull	NE	EB Wilson Sharpville Rd (SR 305) @ Youngstown Kingsville Rd (SR 193)	W of Fowler	I
92	Trumbull	NE	EB Youngstown Road SE (US 422) @ Central Parkway Avenue SE	Warren	I
93	Wayne	NE	EB Schrock Road @ Elm Street	Orrville	I
94	Wayne	NE	NB Fredericksburg Road @ Dover Road (US 250)	SE of Wooster	I
95	Wayne	NE	EB W Old Lincoln Way (CR 30A) @ Ashland Road (US 250)	W of Wooster	I
96	Wayne	NE	NB N Main Street @ Sunset Drive	Rittman	I
97	Wayne	NE	EB Milltown Road @ Melrose Drive	Wooster	I
98	Allen	NW	SB Yoakam Road @ Zurmehly Road	Fort Shawnee	I
99	Allen	NW	WB Grand Avenue @ N Main Street	Lima	I
100	Allen	NW	SB Bentley Road @ Augsburg Road	Bluffton	I
101	Auglaize	NW	WB Benton Street @ S Water Street	Wapakoneta	I
102	Auglaize	NW	SB Main Street (SR 65) @ Ohio Street & Waynesfield Pike (SR 67)	Uniopolis	I
103	Auglaize	NW	SB Defiance Rd & Defiance St & Dieker Pl (SR 116) @ Indiana Ave (SR 29)	St. Marys	I
104	Auglaize	NW	SB N Westminster Street (SR 196) @ Wapakoneta Street (SR 67)	Waynesfield	I
105	Auglaize	NW	EB Ohio Street & Waynesfield Pike (SR 67) @ Main Street (SR 65)	Uniopolis	I
106	Crawford	NW	NB S Poplar Street @ Lincoln Hwy. & Mansfield Street (US 30 & SR 330)	Bucyrus	I
107	Crawford	NW	NB SR 4 @ Chatfield Center Road (SR 103)	Chatfield	I
108	Hancock	NW	SB Township Road 234 @ CR 205	SE of Findlay	I
109	Logan	NW	NB CR 24 S @ SR 47	Logansville	I
110	Logan	NW	NB CR 5 N @ SR 273	Rushcreek	I
111	Logan	NW	NB Lima Street (SR 117 & SR 274) @ Napoleon Street	Richland	I
112	Logan	NW	EB US 33 @ E Sandusky Avenue (SR 540)	Bellefontaine	OR
113	Logan	NW	EB CR 60 @ CR 21	Bloom Center	I
114	Lucas	NW	WB Nebraska Avenue @ N Holland-Sylvania Rd	Toledo	I
115	Lucas	NW	WB Liberty Street @ Broadway Street	Toledo (E of Maumee River)	I
116	Sandusky (near Seneca)	NW	SB S Main Street (SR 510 & SR 101) @ Portland Road & continuance of S Main (CR 177 & SR 101)	S of Clyde	I
117	Sandusky	NW	NB Tiffin Road (CR 53) @ Hurdic Road (CR 201)	S of Ballville	I
118	Sandusky	NW	NB Church Street (TR 72) @ Main Street (US 6)	Helena	I
119	Sandusky	NW	EB Napoleon Road @ Brush Street	Ballville	I
120	Seneca	NW	SB CR 15 @ CR 38	NE of Tiffin	I
121	Shelby	NW	EB Ft Loramie-Swanders Road @ SR 29	W of Swanders	I

Site No.	County	Region	Primary Location	Municipality/ Township	Site Type
122	Shelby	NW	EB Russell Road @ 4 <sup>th</sup> Avenue	Sidney	I
123	Shelby	NW	SB Main Street (SR 66) @ W Park Street (SR 705) & Elm Street (SR 362)	Ft Loramie	I
124	Wood	NW	WB Rees Road @ Lemoyne Road	near Pemberville	I
125	Athens	SE	EB US 50 @ SR 32	SW of Albany/ Lee Twp	I
126	Belmont	SE	WB Maynard Road (CR 56) @ SR 9	NW of St. Clairsville	I
127	Belmont	SE	NB S Marietta Street & Maple Ave @ Main Street	St. Clairsville	I
128	Jefferson	SE	NB Standard Avenue @ McLister Avenue	Mingo Junction	I
129	Jefferson	SE	EB SR 22 @ John Scott Connector & John Scott Memorial Highway	N of Steubenville	OR
130	Jefferson	SE	NB Lovers Lane @ CR 43	NW of Steubenville	I
131	Lawrence	SE	NB SR 243 & SR 378 @ continuance of SR 243 in a westerly direction	N of Getaway	I
132	Muskingum	SE	SB/EB Pinkerton Road @ Maysville Pike (US 22 & SR 93)	Zanesville Terrace	I
133	Tuscarawas	SE	WB Main Street (CR 39) @ Walnut Street	Gnadenhutten	I
134	Tuscarawas	SE	NB Gilmore Road (CR 10) @ River Hill Road SE (CR14)	Gilmore	I
135	Washington	SE	WB Glendale Road (CR 375) @ SR 821	W of Stanleyville	I
136	Washington	SE	EB Washington Street (SR 7) @ Third Street (SR 60 & continuance of SR 7)	Marietta	I
137	Butler	SW	WB Hamilton-New London Road @ Ross Millville Road US 27	S of Millville	I
138	Butler	SW	SB Breiel Blvd @ Martin Luther King Way (SR 122)	Middletown	I
139	Butler	SW	WB Roosevelt Blvd @ Wicoff Street	Middletown	I
140	Butler	SW	WB Glendale Road (SR 747) @ Hamilton Middletown Road (SR 4)	Rockdale	I
141	Butler	SW	SB Brofield Drive @ Bayberry Drive	Indian Springs	I
142	Butler	SW	WB Todhunter Road @ Yankee Road	Monroe	I
143	Butler	SW	EB Minton Road @ Boyle Road	Queen Acres	I
144	Clark	SW	WB Santa Monica Drive @ Red Coach Drive	N of Springfield	I
145	Clark	SW	NB US 68 @ Fairfield Pike	SW of Springfield	I
146	Clark	SW	WB W National Rd (SR 40) @ N Medway-Carlisle Rd (SR 571 & CR 303)	New Carlisle	I
147	Clermont	SW	WB Light Street (SR 756) @ Market Street (SR 133 & 222)	Felicity	I
148	Clermont	SW	SB Laurel Lindale Road @ Bethel-New Richmond Road	E of New Richmond	I
149	Clermont	SW	EB SR 222 @ SR 133	S of Felicity	I
150	Clermont	SW	WB Brooklyn Avenue & Edgecombe Road @ Main Street (SR 28)	Milford	I
151	Darke	SW	SB North Broadway (SR 571 & SR 49) @ W Main Street (SR 121) Note: This location is called "Public Square"	Greenville	I
152	Darke	SW	NB Main Street (SR 118) @ Canal Street (SR 47)	Ansonia	I
153	Montgomery	SW	EB Wyoming Street @ Wayne Avenue	Dayton	I
154	Montgomery	SW	NB S Elm Street @ Center Street	Farmersville	I
155	Miami	SW	WB E Broadway & Korean War Veterans Memorial Highway (US 36) @ High Street (SR 48)	Covington	I
156	Miami	SW	EB Hayes Street (SR 571) @ Miami Street (SR 48)	West Milton	I
157	Greene	SW	NB Colonel Glen Hwy @ Ravenwood Drive & University Blvd	SW of Fairborn	I
158	Greene	SW	NB US 42 @ Main Street (US 35)	Xenia	I
159	Greene	SW	SB Colorado Drive @ Alabama Drive	Xenia	I
160	Greene	SW	WB Brown Road @ Wilmington Pike	Sugarcreek	I
161	Hamilton	SW	WB Losantville Avenue @ Wiehe Road	Golf Manor	I
162	Butler	SW	EB Woodlawn Avenue @ Madison Avenue	Lindenwald	I

Site No.	County	Region	Primary Location	Municipality/ Township	Site Type
163	Hamilton	SW	EB Fleming Avenue @ Grandview Avenue	NE of Cincinnati	I
164	Hamilton	SW	NB Eight Mile Road @ Batavia Road (SR 32)	SE of Shademoore	I
165	Hamilton	SW	NB Race Road @ West Fork Road	Dent	I
166	Hamilton	SW	EB Waycross Road @ Hanover Road	Forest Park	I
167	Hamilton	SW	NB Shakerdale Road @ Montgomery Road	Montgomery	I
168	Hamilton	SW	WB Hanley Road @ Sheed Road	NW of White Oak	I
169	Miami	SW	EB Troy Pike (SR 55) @ Main Street (SR 589)	Casstown	I
170	Miami	SW	WB West Main Street (SR 571) @ 4th Street	Tipp City	I
171	Miami	SW	NB Washington Ave @ Broadway Riverside Drive & Riverside Dr (SR 66)	Piqua	I
172	Miami	SW	WB US 40 @ SR 201	Brandt	I
173	Miami	SW	SB S SR 202 @ E Main Street SR 41	Troy	I
174	Miami	SW	NB North Main Street @ W Hayes Street (SR 571)	West Milton	I
175	Montgomery	SW	EB Leo Street @ Webster Street	Dayton	I
176	Montgomery	SW	SB West Wilmington Ave @ Citation Ave	Oakwood	I
177	Preble	SW	NB Commerce Street (SR 503) @ Dayton Street	Lewisburg	I
178	Ross	SW	WB W 2 <sup>nd</sup> Street @ North High Street (SR 104)	Chillicothe	I
179	Ross	SW	EB Kellenberger Road (CR 278) @ Orr Road (CR 526)	E of Yellowbird	I
180	Ross	SW	SB Biers Run Road @ CR 550	Union Twp.	I
181	Ross	SW	WB Stoney Creek Road (SR 372) @ US 23 & SR 104	Alma	I
182	Ross	SW	SB Cattail Road @ Egypt Pike	Union	I
183	Warren	SW	EB Pleasant Street @ Columbus Avenue	Lebanon	I
184	Delaware	C	SB I-71 @ US 36 (SR 37)	Berkshire	OR
185	Franklin	C	NB I-71 @ Morse Road (US 23)	Clintonville	OR
186	Franklin	C	EB New Albany Expressway (SR 161) @ New Albany Road	New Albany	OR
187	Franklin	C	EB New Albany Expressway (SR 161) @ Little Turtle Way	New Albany	OR
188	Franklin	C	NB I-71 @ Greenlawn Road	Columbus	OR
189	Franklin	C	SB I-270 @ Roberts Road	Hilliard Area	OR
190	Franklin	C	WB Frank Refugee Expressway (SR 104) @ Groveport Road	Columbus	OR
191	Franklin	C	NB Olentangy Frwy (SR 315) @ Ackerman Road	Upper Arlington	OR
192	Geauga	NE	WB US 422 @ SR 44	near Burton	OR
193	Greene	SW	NB I-675 @ East Dayton-Yellow Springs Road	Fairborn	OR
194	Greene	SW	SB I-675 @ North Fairfield Road	Fairborn	OR
195	Hamilton	SW	WB Ronald Reagan Cross County Hwy (SR 126) @ West Galbraith Road (CR 101)	Norwood	OR
196	Hamilton	SW	SB I-71 @ Edwards Road	Cincinnati	OR
197	Hamilton	SW	EB I-275 @ Hamilton Avenue (US 127)	Norwood	OR
198	Hamilton	SW	NB I-75 @ East Sharon Road	Reading	OR
199	Hamilton	SW	NB I-275 @ US 42	Cincinnati	OR
200	NB observer in Hamilton	SW	NB I-71 @ Mason-Montgomery Road	Mason (near Loveland)	OR
201	Hancock	NW	SB I-75 @ SR 103	Bluffton Area	OR
202	Hancock	NW	NB I-75 @ W Trenton Avenue (US 224)	Findlay	OR
203	Jefferson	SE	NB SR 7 @ SR 151	near Mingo Junction	OR
204	Lake	NE	WB Lakeland Fwy (SR 2) @ E 305th Street	Wickliffe Area	OR

Site No.	County	Region	Primary Location	Municipality/ Township	Site Type
205	Lake	NE	EB I-90 @ Broadmor Road & Chillicothe Road (SR 306)	Willoughby Area	OR
206	Lake	NE	EB Lakeland Fwy (SR 2) @ Reynolds Road (SR 306)	Mentor	OR
207	Licking	C	WB I-70 @ Baltimore Road & Outville Road (SR 158 & SR 40)	Kirkersville	OR
208	Licking	C	EB SR 16 @ 21st Street	Newark	OR
209	Licking	C	WB SR 16 @ O'Bannon Avenue	Newark	OR
210	Logan	NW	WB US 33 @ E Sandusky Avenue (SR 540)	Bellefontaine	OR
211	Lorain	NE	WB I-90 & SR 2 @ Center Road or Avon Belden Road (SR 83)	Avon	OR
212	Lorain	NE	EB SR 2 @ Oak Point Road & N Lake Street	near Amherst	OR
213	Lorain	NE	WB SR 10 @ Loraine Road	North Ridgeville	OR
214	Lucas	NW	SB I-75 @ Willy's Parkway	Toledo	OR
215	Lucas	NW	NB I-280 @ Manhattan Blvd	Toledo	OR
216	Lucas	NW	SB I-475 (SR 23) @ Airport Hwy (SR 2)	Holland	OR
217	Mahoning	NE	NB SR 11 @ Mahoning Avenue (CR 18)	Austintown	OR
218	Mahoning	NE	NB I-680 @ Meridian Road	Youngstown	OR
219	Mahoning	NE	NB Salem Warren Road (SR 45) @ Mahoning Avenue (CR 18)	S of North Jackson	OR
220	Marion	C	NB US 23 @ Harding Hwy E (SR 309)	Marion	OR
221	Medina	NE	NB I-71 @ Wooster Pike (SR 3)	Medina	OR
222	Miami	SW	SB I-75 @ Market Street (SR 55)	Troy	OR
223	Miami	SW	NB I-75 @ E Ash Street (US 36)	Piqua	OR
224	Montgomery	SW	SB I-75 @ Benchwood Road	Huber Heights	OR
225	Montgomery	SW	NB I-75 exiting onto Hilrose Avenue @ Leo Street	Dayton	I
226	SB observer in Greene (borders on Montgomery)	SW	SB I-675 @ Wilmington Pike & Wilmington Dayton Road	Bellbrook	OR
227	Montgomery	SW	EB W National Road (US 40) @ Peters Pike	W of Vandalia	OR
228	Montgomery	SW	SB I-75 @ E National Road (US 40)	Vandalia	OR
229	Montgomery	SW	WB I-70 @ Main Street (SR 48)	Englewood	OR
230	Muskingum	SE	WB I-70 @ Underwood Street (SR 60 & SR 146)	Zanesville	OR
231	Richland	NE	EB US 30 @ Springmill Street (SR 39)	Mansfield	OR
232	Scioto	SW	WB US 52 @ Hayport Road (SR 522)	near Allentown & Sand Hill	OR
233	Stark	NE	NB Great Lakes Blvd (SR 21) @ Manchester Avenue (SR 93)	Brimestone Corners near Canal Fulton	OR
234	Stark	NE	WB US 30 & US 62 @ Richville Drive (CR 627)	near Massillon	OR
235	Stark	NE	WB Atlantic Blvd (US 62) @ Ravenna Avenue (SR 44)	Louisville	OR
236	Summit	NE	EB I-76 & US 224 @ Cleveland-Massillon Road (SR 21)	NE of Norton	OR
237	Summit	NE	NB I-271 @ Main Street & W Streetsboro Road (SR 303)	Boston Twp	OR
238	Trumbull	NE	NB South Leavitt Road @ West Market Street	Leavittsburg	OR
239	Trumbull	NE	NB SR 11 @ Tibbetts Wick Road (CR 28)	W of Klines Corner	OR
240	Trumbull	NE	NB SR 11 @ Wilson Sharpsville Road (SR 305)	SE of Cortland	OR
241	Trumbull	NE	EB I-80 @ E Liberty Street turning right toward Belmont Avenue (SR 193)	Youngstown	OR
242	Tuscarawas	SE	NB I-77 @ US 36	near Glasgow	OR
243	Warren	SW	SB I-71 @ Kings Mills Road (SR 741)	near Kings Mill	OR
244	Washington	SE	NB I-77 @ SR 821	W of Macksburg	OR

Site No.	County	Region	Primary Location	Municipality/ Township	Site Type
245	Wayne	NE	NB Dix Expy (SR 83) @ Cleveland Road (SR 3)	Wooster	OR
246	Wood	NW	NB I-75 NB @ Grand Army of the Republic Hwy (US 6)	Bowling Green	OR
247	Wood	NW	NB I-75 @ Eagleville Road	North Baltimore	OR
248	Allen	NW	EB US 30 @ W Lincoln Highway	Delphos Area	OR
249	Allen	NW	SB Ottawa Road & W Main Street (SR 65) @ Lincoln Highway	Cairo	OR
250	Ashland	NE	WB US 30 @ N Mechanic Street (SR 60)	near Widowville and Charles Mill (Mansfield Area)	OR
251	Ashtabula	NE	NB SR 11 & SR 46 @ N Ridge Road East & E Prospect Road (US 20)	E of Edgewood	OR
252	Ashtabula	NE	SB SR 46 & S Chestnut Street @ Mulberry Street (SR 307)	S of Jefferson	I
253	Athens	SE	NB SR 682 & SR 56 @ Richland Avenue	S of Athens	OR
254	Auglaize	NW	SB I-75 @ Bellfontaine Street & Wapakoneta Fisher Road	Wapakoneta	OR
255	Belmont	SE	WB I-70 @ Main Street (SR 331)	St. Clairsville	OR
256	NB observer in Clark (borders on Champaign)	SW	NB US 68 @ E County Line Road	Springfield Area (near Bowlusville)	OR
257	Clark	SW	EB I-70 @ N Urbana Lisbon Road (SR 54)	South Vienna	OR
258	Columbiana	NE	NB SR 11 @ Fork Road (SR 344)	Columbiana	OR
259	Columbiana	NE	EB US 30 & SB SR 11 @ E Liverpool Road	St Clair	OR
260	Crawford	NW	WB US 30 @ N Sandusky Avenue (SR 4 & SR 19 & SR 100)	N of Bucyrus	OR
261	Cuyahoga	NE	EB Outerbelt S Fwy (I-480) @ State Road (SR 94)	Cleveland	OR
262	Cuyahoga	NE	SB I-71 @ Royalton Road (SR 82)	NE of Strongsville	OR
263	Cuyahoga	NE	WB Outerbelt S Fwy (I-480) @ Great Northern Blvd (SR 252)	E of North Olmstead	OR
264	Cuyahoga	NE	EB Northwest Fwy (I-90 & SR 2) @ Columbia Road (SR 252)	NE of Westlake	OR
265	Darke	SW	WB US 36 & NB US 127 @ Sweitzer Street (SR 49)	near Greenville, Jaysville, Frys Corners, and Bradford	OR
300	Delaware	C	NB US 42 @ SR 36 (US 42)	Delaware	OR
301	Licking	C	WB Worthington Rd (SR 16 & SR 37) @ Lancaster Rd (SR 37 & SR 661)	Granville Area	OR
302	Licking	C	EB I-70 @ Hebron Road (SR 79)	S of Hebron	OR
303	Franklin	C	WB New Albany Expy (SR161) @ E Main Street & Johnstown Road (US 62)	New Albany	OR
305	Franklin	C	EB New Albany Expy (SR161) @ N Hamilton Road	New Albany	OR
310	Butler	SW	SB I-75 @ Tylersville Road	West Chester	OR
311	Butler	SW	NB S Erie Blvd (SR 4) @ High Street (SR 129 & Butler Regional Hwy & Michael A Fox Hwy)	Hamilton	OR
312	Hamilton	SW	SB Colerain Avenue (US 27) @ Ronald Reagan Cross County Hwy (SR 126)	Norwood	OR
313	Hamilton	SW	WB I-275 @ Springfield Road & Springfield Pike (SR4)	Fairfield Area (near Springdale)	OR
314	Greene	SW	NB I-71 @ Maysville Street (SR 72)	Xenia Area (near Bowersville)	OR
322	Portage	NE	NB Painesville Ravenna Road (SR 44) @ Ohio Turnpike (I-80)	Streetsboro Area (near Shalersville)	OR
323	Summit	NE	NB MLK Jr. Blvd (SR 59) @ N Main Street & N Howard Street.	Akron	I



# APPENDIX C: DATA COLLECTION FORM

<p><b>Site #</b> <input style="width: 50px; height: 20px;" type="text"/></p> <p><b>Vehicle</b>          Car..... <input type="checkbox"/> SUV..... <input type="checkbox"/>          Van..... <input type="checkbox"/> Truck..... <input type="checkbox"/></p> <p><b>Driver Belt Use</b>          Belted ... <input type="checkbox"/> Unbelted <input type="checkbox"/></p> <p><b>Driver Sex</b>          Male..... <input type="checkbox"/> Female... <input type="checkbox"/></p> <p><b>Driver Age</b>          15-25 .... <input type="checkbox"/> 65+..... <input type="checkbox"/>          26-64 .... <input type="checkbox"/></p> <p><b>Driver Race</b>          Caucasian..... <input type="checkbox"/>          African American..... <input type="checkbox"/>          Other..... <input type="checkbox"/></p> <p><b>Driver Cell Phone</b>          Yes..... <input type="checkbox"/> No..... <input type="checkbox"/></p> <p><b>Passenger Belt Use</b>          Belted ... <input type="checkbox"/> Safety Seat..... <input type="checkbox"/>          Unbelted <input type="checkbox"/></p> <p><b>Passenger Sex</b>          Male..... <input type="checkbox"/> Female... <input type="checkbox"/></p> <p><b>Passenger Age</b>          0-4..... <input type="checkbox"/> 26-64 .... <input type="checkbox"/>          5-14..... <input type="checkbox"/> 65+..... <input type="checkbox"/>          15-25 .... <input type="checkbox"/></p> <p><b>Passenger Race</b>          Caucasian..... <input type="checkbox"/>          African American..... <input type="checkbox"/>          Other..... <input type="checkbox"/></p>	<p><b>Vehicle</b>          Car..... <input type="checkbox"/> SUV..... <input type="checkbox"/>          Van..... <input type="checkbox"/> Truck..... <input type="checkbox"/></p> <p><b>Driver Belt Use</b>          Belted ... <input type="checkbox"/> Unbelted <input type="checkbox"/></p> <p><b>Driver Sex</b>          Male..... <input type="checkbox"/> Female... <input type="checkbox"/></p> <p><b>Driver Age</b>          15-25 .... <input type="checkbox"/> 65+..... <input type="checkbox"/>          26-64 .... <input type="checkbox"/></p> <p><b>Driver Race</b>          Caucasian..... <input type="checkbox"/>          African American..... <input type="checkbox"/>          Other..... <input type="checkbox"/></p> <p><b>Driver Cell Phone</b>          Yes..... <input type="checkbox"/> No..... <input type="checkbox"/></p> <p><b>Passenger Belt Use</b>          Belted ... <input type="checkbox"/> Safety Seat..... <input type="checkbox"/>          Unbelted <input type="checkbox"/></p> <p><b>Passenger Sex</b>          Male..... <input type="checkbox"/> Female... <input type="checkbox"/></p> <p><b>Passenger Age</b>          0-4..... <input type="checkbox"/> 26-64 .... <input type="checkbox"/>          5-14..... <input type="checkbox"/> 65+..... <input type="checkbox"/>          15-25 .... <input type="checkbox"/></p> <p><b>Passenger Race</b>          Caucasian..... <input type="checkbox"/>          African American..... <input type="checkbox"/>          Other..... <input type="checkbox"/></p>	<p><b>Vehicle</b>          Car..... <input type="checkbox"/> SUV..... <input type="checkbox"/>          Van..... <input type="checkbox"/> Truck..... <input type="checkbox"/></p> <p><b>Driver Belt Use</b>          Belted ... <input type="checkbox"/> Unbelted <input type="checkbox"/></p> <p><b>Driver Sex</b>          Male..... <input type="checkbox"/> Female... <input type="checkbox"/></p> <p><b>Driver Age</b>          15-25 .... <input type="checkbox"/> 65+..... <input type="checkbox"/>          26-64 .... <input type="checkbox"/></p> <p><b>Driver Race</b>          Caucasian..... <input type="checkbox"/>          African American..... <input type="checkbox"/>          Other..... <input type="checkbox"/></p> <p><b>Driver Cell Phone</b>          Yes..... <input type="checkbox"/> No..... <input type="checkbox"/></p> <p><b>Passenger Belt Use</b>          Belted ... <input type="checkbox"/> Safety Seat..... <input type="checkbox"/>          Unbelted <input type="checkbox"/></p> <p><b>Passenger Sex</b>          Male..... <input type="checkbox"/> Female... <input type="checkbox"/></p> <p><b>Passenger Age</b>          0-4..... <input type="checkbox"/> 26-64 .... <input type="checkbox"/>          5-14..... <input type="checkbox"/> 65+..... <input type="checkbox"/>          15-25 .... <input type="checkbox"/></p> <p><b>Passenger Race</b>          Caucasian..... <input type="checkbox"/>          African American..... <input type="checkbox"/>          Other..... <input type="checkbox"/></p>	<p><b>Vehicle</b>          Car..... <input type="checkbox"/> SUV..... <input type="checkbox"/>          Van..... <input type="checkbox"/> Truck..... <input type="checkbox"/></p> <p><b>Driver Belt Use</b>          Belted ... <input type="checkbox"/> Unbelted <input type="checkbox"/></p> <p><b>Driver Sex</b>          Male..... <input type="checkbox"/> Female... <input type="checkbox"/></p> <p><b>Driver Age</b>          15-25 .... <input type="checkbox"/> 65+..... <input type="checkbox"/>          26-64 .... <input type="checkbox"/></p> <p><b>Driver Race</b>          Caucasian..... <input type="checkbox"/>          African American..... <input type="checkbox"/>          Other..... <input type="checkbox"/></p> <p><b>Driver Cell Phone</b>          Yes..... <input type="checkbox"/> No..... <input type="checkbox"/></p> <p><b>Passenger Belt Use</b>          Belted ... <input type="checkbox"/> Safety Seat..... <input type="checkbox"/>          Unbelted <input type="checkbox"/></p> <p><b>Passenger Sex</b>          Male..... <input type="checkbox"/> Female... <input type="checkbox"/></p> <p><b>Passenger Age</b>          0-4..... <input type="checkbox"/> 26-64 .... <input type="checkbox"/>          5-14..... <input type="checkbox"/> 65+..... <input type="checkbox"/>          15-25 .... <input type="checkbox"/></p> <p><b>Passenger Race</b>          Caucasian..... <input type="checkbox"/>          African American..... <input type="checkbox"/>          Other..... <input type="checkbox"/></p>
---	--	--	--

Applied Research Center  
Miami University

COPS 2011  
Data Collection Form

## APPENDIX D: CORRELATION ANALYSIS

Correlation analysis shows the paired associations between two variables without taking into account the effects of other variables. They are included on the following page and include significance values denoted by \* ( $p \leq .05$ ), \*\* ( $p \leq .01$ ), and \*\*\* ( $p \leq .001$ ).

Table D-1 Survey 1: Correlations between correctly belted driver and driver, passenger, vehicle, and site characteristics (18,195 observations) <sup>a, b</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Belted Driver	-																			
2	Sex of Driver	.101***	-																		
3	Driver Age 15-25	-.087***	.046***	-																	
4	Driver Age 26-64	.063***	.004	-.714***	-																
5	Driver Age 65+	.013	-.059***	-.155***	-.579***	-															
6	African-American Driver	-.054***	.002	.009	.025***	-.047***	-														
7	Car	.024**	.098***	.125***	-.127***	.033***	.066***	-													
8	SUV	.040***	.075***	-.054***	.074***	-.041***	-.015*	-.556***	-												
9	Van	.050***	.049***	-.086***	.064***	.010	-.013*	-.376***	-.177***	-											
10	Truck	-.124***	-.268***	-.039***	.038***	-.009	-.065***	-.446***	-.209***	-.142***	-										
11	Belted Passenger	.128***	-.073***	-.025***	-.057***	.110***	-.030***	-.020**	.015*	.050***	-.032***	-									
12	Weekend Observation	-.012	-.039***	.027***	-.030***	.010	-.033***	.002	.013*	.000	-.019**	.143***	-								
13	Central Region	-.009	.004	-.022**	-.025***	.062***	-.028***	-.031***	.035***	.001	.002	.109***	.087***	-							
14	Northeast Region	.015*	.023**	-.126***	.134***	-.044***	.017*	.038***	-.018**	-.010	-.025***	-.067***	.009	-.420***	-						
15	Northwest Region	.002	-.033***	.086***	-.057***	-.020**	-.023**	-.030***	-.016*	.024**	.041***	-.056***	.013*	-.159***	-.307***	-					
16	Southeast Region	-.051***	.001	.016*	-.002	-.016*	-.052***	-.020**	.011	-.020**	.033***	.042***	-.054***	-.123***	-.237***	-.090***	-				
17	Southwest Region	.020**	-.008	.101***	-.097***	.020**	.055***	.018**	-.006	.005	-.023**	-.004	-.070***	-.237***	-.457***	-.173***	-.133***	-			
18	Sunny Conditions	-.043***	.020**	.046***	-.049***	.015*	.011	.006	.003	-.002	-.010	.026***	-.006	.039***	-.046***	.002	-.034***	.039***	-		
19	Intersection Site	-.080***	.033***	.004	-.033***	.043***	.008	-.022**	-.016*	.010	.040***	.015*	-.005	-.016*	.078***	.007	-.045***	-.059***	.067***	-	
20	Traffic Volume at Site	.097***	.021**	-.047***	.074***	-.050***	.043***	.041***	.013*	.013*	-.084***	-.102***	-.034***	-.013*	.021**	-.043***	-.147***	.108***	-.042***	-.311***	-
21	Driver Cell Phone Use	-.012	.063***	.030***	.041***	-.093***	.019**	-.025***	.028***	.004	-.001	-.093***	-.042***	-.007	.089***	-.040***	-.024**	-.058***	-.049***	.002	.053***

p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

a. Correctly belted driver = 1, and all other conditions = 0.

b. Correlations in each cell are pairwise (i.e., complete data available for both variables).

Table D-2 Survey 2: Correlations between correctly belted driver and driver, passenger, vehicle, and site characteristics (19,380 observations) <sup>a, b</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Belted Driver	-																			
2	Sex of Driver	.109***	-																		
3	Driver Age 15-25	-.077***	.048***	-																	
4	Driver Age 26-64	.042***	.007	-.705***	-																
5	Driver Age 65+	.028***	-.065***	-.149***	-.594***	-															
6	African-American Driver	-.075***	-.002	-.003	.042***	-.057***	-														
7	Car	.035***	.093***	.130***	-.133***	.040***	.063***	-													
8	SUV	.037***	.088***	-.058***	.076***	-.042***	-.020**	-.538***	-												
9	Van	.035***	.054***	-.082***	.066***	.001	-.009	-.380***	-.185***	-											
10	Truck	-.122***	-.278***	-.041***	.040***	-.010	-.057***	-.445***	-.216***	-.153***	-										
11	Belted Passenger	.126***	-.065***	-.020**	-.054***	.098***	-.027***	-.019**	.020*	.050***	-.040***	-									
12	Weekend Observation	-.002	-.030***	.019**	-.018**	.005	-.022**	-.012*	.016*	.011	-.011	.165***	-								
13	Central Region	.007	-.001	-.007	-.036***	.059***	-.015*	-.007	.041***	-.011	-.026***	.106***	.064***	-							
14	Northeast Region	.015*	.031***	-.117***	.135***	-.057***	.011	.031***	-.022**	-.007	-.012*	-.068***	-.012*	-.411***	-						
15	Northwest Region	-.020**	-.043***	.036***	-.034***	.007	-.022**	-.019**	-.025***	.017*	.040***	-.037***	.035***	-.155***	-.310***	-					
16	Southeast Region	-.053***	.001	.006	.000	-.007	-.051***	-.030***	.016*	-.020**	.042***	.023**	-.055***	-.114***	-.228***	-.086***	-				
17	Southwest Region	.021**	-.006	.117***	-.105***	.014*	.046***	.001	-.001	.017**	-.015*	.000	-.038***	-.237***	-.473***	-.178***	-.131***	-			
18	Sunny Conditions	-.007	.003	.059***	-.066***	.027***	-.004	-.009	.013*	-.001	-.002	.027***	-.094***	.150***	-.298***	-.040***	.078***	.209***	-		
19	Intersection Site	-.064***	.027***	-.031***	-.008	.046***	-.013*	-.034***	-.004	.013*	.040***	.018**	-.033***	.033***	.086***	-.048***	-.041***	-.076***	-.016*	-	
20	Traffic Volume at Site	.092***	.035***	-.036***	.080***	-.071***	.053***	.055***	.005	.009	-.089***	-.086***	-.017**	-.021**	.019**	-.007	-.147***	.086***	-.002	-.197***	-
21	Driver Cell Phone Use	-.019**	.071***	.032***	.027***	-.075***	.009	.000	.009	.001	-.011	-.099***	-.043***	-.002	.069***	-.044***	-.015*	-.039***	-.036***	.009	.057***

p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

a. Correctly belted driver = 1, and all other conditions = 0.

b. Correlations in each cell are pairwise (i.e., complete data available for both variables).

Table D-3 Combined Surveys: Correlations between correctly belted driver and driver, passenger, vehicle, and site characteristics (37,575 observations)<sup>a, b</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	Belted Driver	-																				
2	Sex of Driver	.106***	-																			
3	Driver Age 15-25	-.082***	.047***	-																		
4	Driver Age 26-64	.053***	.006	-.710***	-																	
5	Driver Age 65+	.020***	-.062***	-.151***	-.587***	-																
6	African-American Driver	-.065***	.000	.003	.034***	-.052***	-															
7	Car	.029***	.095***	.128***	-.131***	.037***	.064***	-														
8	SUV	.038***	.082***	-.056***	.075***	-.041***	-.018***	-.547***	-													
9	Van	.043***	.052***	-.084***	.065***	.005	-.011*	-.378***	-.181***	-												
10	Truck	-.122***	-.273***	-.040***	.039***	-.009*	-.061***	-.446***	-.213***	-.147***	-											
11	Belted Passenger	.128***	-.068***	-.023***	-.055***	.103***	-.028***	-.020***	.018***	.050***	-.036***	-										
12	Weekend Observation	-.007	-.035***	.023***	-.024***	.007	-.027***	-.005	.015**	.006	-.015***	.155***	-									
13	Central Region	-.001	.001	-.015**	-.031***	.061***	-.021***	-.018***	.038***	-.005	-.012**	.107***	.075***	-								
14	Northeast Region	.015**	.027***	-.121***	.134***	-.051***	.014**	.034***	-.020***	-.008	-.018***	-.068***	-.002	-.416***	-							
15	Northwest Region	-.009*	-.038***	.061***	-.045***	-.006	-.023***	-.024***	-.021***	.020***	.040***	-.046***	.024***	-.157***	-.309***	-						
16	Southeast Region	-.053***	.001	.012*	-.001	-.011*	-.052***	-.025***	.013**	-.020***	.038***	.032***	-.055***	-.118***	-.232***	-.088***	-					
17	Southwest Region	.021***	-.007	.109***	-.101***	.017**	.050***	.009*	-.003	.012*	-.019***	-.001	-.053***	-.237***	-.465***	-.176***	-.132***	-				
18	Sunny Conditions	-.009*	.013**	.042***	-.047***	.019***	.007	-.009*	.008	.004	.000	.038***	-.047***	.082***	-.160***	-.018***	.017***	.122***	-			
19	Intersection Site	-.071***	.030***	-.014**	-.020***	.044***	-.003	-.028***	-.010*	.011*	.041***	.017***	-.019***	.009*	.082***	-.021***	-.043***	-.067***	.031***	-		
20	Traffic Volume at Site	.095**	.028***	-.042***	.077***	-.061***	.049***	.048***	.009*	.011*	-.087**	-.093**	-.025***	-.017**	.020***	-.025***	-.147***	.097***	-.014**	-.253***	-	
21	Driver Cell Phone Use	-.016***	.067***	.031***	.034***	-.084***	.014**	-.012*	.019***	.002	-.006	-.097***	-.042***	-.005	.079***	-.042***	-.020***	-.049***	-.045***	.005	.055***	-
22	Survey Number	.032***	.008	-.014**	.012*	.000	.010*	-.017**	.001	.013**	.011*	.033***	.002	-.011*	.003	.001	-.010*	.012*	.430***	.023***	.011*	-.016**

p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001  
 a. Correctly belted driver = 1, and all other conditions = 0.  
 b. Correlations in each cell are pairwise (i.e., complete data available for both variables).

Table D-4 Survey 1: Correlations between correctly belted driver with passenger present and driver, passenger, vehicle, and site characteristics (2,975 observations)<sup>a, b</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	Belted Driver	-																				
2	Sex of Driver	.057**	-																			
3	Driver Age 15-25	-.087***	.048**	-																		
4	Driver Age 26-64	-.003	.050**	-.604***	-																	
5	Driver Age 65+	.086***	-.107***	-.202***	-.657***	-																
6	African-American Driver	-.065***	-.001	.005	.054**	-.071***	-															
7	Car	.040 <sup>+</sup>	.075***	.147***	-.159***	.055**	.053**	-														
8	SUV	.024	.024	-.060***	.088***	-.051**	-.040 <sup>+</sup>	-.536***	-													
9	Van	.039 <sup>+</sup>	.049**	-.113***	.084***	.004	.011	-.412***	-.213***	-												
10	Truck	-.128***	-.190***	-.027	.041 <sup>+</sup>	-.024	-.040 <sup>+</sup>	-.400***	-.206***	-.158***	-											
11	Belted Passenger	.656***	-.004	-.102***	-.008	.106***	-.077***	.021	.027	.037 <sup>+</sup>	-.102***	-										
12	Passenger Age 0-14	-.008	.184***	-.066***	.154***	-.127***	-.003	-.093***	.063***	.041 <sup>+</sup>	.019	.028	-									
13	Weekend Observation	.017	-.051**	.021	.014	-.039 <sup>+</sup>	-.051**	-.012	.041 <sup>+</sup>	.007	-.039 <sup>+</sup>	.025	.017	-								
14	Central Region	.006	.022	-.036 <sup>+</sup>	.007	.026	-.010	-.036 <sup>+</sup>	.050**	-.009	.001	.020	.068***	.096***	-							
15	Northeast Region	-.022	.021	-.065***	.055**	-.007	.032 <sup>+</sup>	-.003	.001	.009	-.007	-.030	-.037 <sup>+</sup>	.079***	-.480***	-						
16	Northwest Region	.013	-.036 <sup>+</sup>	.090***	-.062***	-.009	-.015	.009	-.006	-.014	.008	.005	-.053**	-.032 <sup>+</sup>	-.157***	-.190***	-					
17	Southeast Region	-.047**	-.012	-.040 <sup>+</sup>	.053**	-.028	-.045**	-.003	.006	-.007	.004	-.022	-.010	-.154***	-.205***	-.248***	-.081***	-				
18	Southwest Region	.048**	-.021	.097***	-.078***	.005	.015	.040 <sup>+</sup>	-.060**	.012	.000	.027	.006	-.072***	-.309***	-.374***	-.122***	-.160***	-			
19	Sunny Conditions	.000	.023	.029	-.015	-.010	.033 <sup>+</sup>	.019	-.008	.002	-.021	.021	.019	-.007	-.002	.058**	-.020	-.047**	-.022	-		
20	Intersection Site	-.066***	.037 <sup>+</sup>	.022	-.032 <sup>+</sup>	.020	-.036 <sup>+</sup>	-.047**	.026	-.003	.040 <sup>+</sup>	-.052**	.088***	.052**	-.041 <sup>+</sup>	.025	.023	-.085***	.067***	-.028	-	
21	Traffic Volume at Site	.026	.021	.001	-.009	.010	.075***	.014	.010	.017	-.051**	.038 <sup>+</sup>	-.016	-.103***	.129***	-.100***	-.070***	-.132***	.115***	.091***	-.155***	-
22	Driver Cell Phone Use	.002	.047**	.034 <sup>+</sup>	.022	-.059**	.030 <sup>+</sup>	-.005	.014	.004	-.013	.010	.058**	-.029	.005	.016	-.019	.043**	-.046**	-.012	.007	.022

p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

a. When a passenger is present, correctly belted driver = 1, and all other conditions = 0.  
 b. Correlations in each cell are pairwise (i.e., complete data available for both variables).

Table D-5 Survey 2: Correlations between correctly belted driver with passenger present and driver, passenger, vehicle, and site characteristics (3,591 observations)<sup>a, b</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	Belted Driver	-																				
2	Sex of Driver	.056***	-																			
3	Driver Age 15-25	-.095***	.027	-																		
4	Driver Age 26-64	.013	.080***	-.614***	-																	
5	Driver Age 65+	.074***	-.126***	-.190***	-.658***	-																
6	African-American Driver	-.069***	-.002	.030 <sup>†</sup>	.028 <sup>†</sup>	-.064***	-															
7	Car	.011	.059***	.147***	-.180***	.084***	.069***	-														
8	SUV	.036 <sup>†</sup>	.045**	-.063***	.094***	-.059***	-.041**	-.527***	-													
9	Van	.054**	.067***	-.106***	.093***	-.015	-.002	-.415***	-.221***	-												
10	Truck	-.115***	-.211***	-.030 <sup>†</sup>	.053**	-.037 <sup>†</sup>	-.050**	-.393***	-.210***	-.165***	-											
11	Belted Passenger	.662***	.003	-.095***	.003	.086***	-.087***	.019	.038 <sup>†</sup>	.030 <sup>†</sup>	-.105***	-										
12	Passenger Age 0-14	.038 <sup>†</sup>	.205***	-.067***	.156***	-.130***	-.036 <sup>†</sup>	-.057***	.032 <sup>†</sup>	.049**	-.006	.060***	-									
13	Weekend Observation	.053**	-.060***	-.032 <sup>†</sup>	.047**	-.027	-.055***	-.018	.059***	-.020	-.024	.070***	-.028 <sup>†</sup>	-								
14	Central Region	.002	-.017	-.024	-.003	.027	.013	-.006	.038 <sup>†</sup>	-.017	-.019	.018	.016	.061***	-							
15	Northeast Region	.011	.042**	-.027	.018	.004	-.024	.032 <sup>†</sup>	-.026	-.009	-.005	.006	.007	.032 <sup>†</sup>	-.455***	-						
16	Northwest Region	-.006	-.056***	-.028 <sup>†</sup>	.010	.015	.000	-.005	-.006	-.006	.020	.014	-.042**	.091***	-.170***	-.218***	-					
17	Southeast Region	-.056***	.025	.010	.015	-.027	-.041**	-.029 <sup>†</sup>	.001	-.012	.053**	-.059***	-.010	-.130***	-.177***	-.226***	-.085***	-				
18	Southwest Region	.026	-.012	.070***	-.034 <sup>†</sup>	-.026	.042**	-.009	-.007	.040**	-.021	.004	.008	-.075***	-.311***	-.398***	-.149***	-.154***	-			
19	Sunny Conditions	-.026	-.002	.048**	-.044**	.010	.056***	-.009	.005	.014	-.007	-.011	-.008	-.114***	.133***	-.267***	-.071***	.047**	.187***	-		
20	Intersection Site	-.045**	.014	.007	-.024	.024	-.077***	-.035 <sup>†</sup>	.003	.013	.033 <sup>†</sup>	-.031 <sup>†</sup>	.073***	-.018	.052**	.023	-.062***	-.094***	.019	.009	-	
21	Traffic Volume at Site	.054**	.021	-.008	.004	.003	.030 <sup>†</sup>	.016	.011	.021	-.058***	.054**	-.013	-.014	.071***	-.112***	-.036 <sup>†</sup>	-.146***	.175***	-.036 <sup>†</sup>	-.099***	-
22	Driver Cell Phone Use	-.020	.023	.027	.015	-.044**	.042**	.020	-.006	-.005	-.017	-.018	.038 <sup>†</sup>	-.043**	.021	-.017	-.012	.000	.006	.019	.007	-.009

p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

a. When a passenger is present, correctly belted passenger = 1, and all other conditions (including incorrectly belted passengers or no passengers present) = 0.

b. Correlations in each cell are pairwise (i.e., complete data available for both variables).

Table D-6 Combined Surveys: Correlations between correctly belted driver with passenger present and driver, passenger, vehicle, and site characteristics (6,566 observations)<sup>a, b, c</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	Belted Driver	1																				
2	Sex of Driver	.057***	1																			
3	Driver Age 15-25	-.092***	.036**	1																		
4	Driver Age 26-64	.006	.067***	-.610***	1																	
5	Driver Age 65+	.079***	-.117***	-.195***	-.658***	1																
6	African-American Driver	-.066***	-.001	.019	.040**	-.067***	1															
7	Car	.024 <sup>+</sup>	.066***	.147***	-.171***	.071***	.062***	1														
8	SUV	.030**	.035**	-.062***	.092***	-.055***	-.040**	-.531***	1													
9	Van	.047***	.060***	-.109***	.089***	-.006	.003	-.414***	-.217***	1												
10	Truck	-.121***	-.201***	-.029 <sup>+</sup>	.047***	-.031**	-.046***	-.396***	-.208***	-.162***	1											
11	Belted Passenger	.660***	.001	-.098***	-.001	.095***	-.081***	.019	.033**	.034**	-.103***	1										
12	Weekend Observation	.036**	-.056***	-.008	.032**	-.032**	-.053***	-.015	.050***	-.008	-.031**	.049***	1									
13	Central Region	.003	.000	-.029**	.001	.027 <sup>+</sup>	.002	-.019	.043***	-.014	-.010	.018	.077***	1								
14	Northeast Region	-.004	.033**	-.045***	.035**	-.001	.000	.016	-.014	-.001	-.006	-.011	.053***	-.467***	1							
15	Northwest Region	.003	-.047***	.022 <sup>+</sup>	-.020	.004	-.005	.001	-.006	-.009	.015	.011	.038**	-.165***	-.205***	1						
16	Southeast Region	-.052***	.007	-.014	.032**	-.027 <sup>+</sup>	-.043***	-.016	.004	-.010	.030**	-.042***	-.141***	-.190***	-.236***	-.083***	1					
17	Southwest Region	.037**	-.015	.082***	-.053***	-.013	.031**	.013	-.030**	.028 <sup>+</sup>	-.012	.015	-.074***	-.310***	-.387***	-.137***	-.157***	1				
18	Sunny Conditions	.000	.020	.032**	-.019	-.006	.050***	-.002	.001	.012	-.011	.021 <sup>+</sup>	-.059***	.052***	-.106***	-.030**	-.010	.094***	1			
19	Intersection Site	-.054***	.025 <sup>+</sup>	.014	-.027 <sup>+</sup>	.022 <sup>+</sup>	-.059***	-.041**	.014	.006	.037**	-.040**	.014	.009	.024 <sup>+</sup>	-.025 <sup>+</sup>	-.090***	.041***	.000	1		
20	Traffic Volume at Site	.042***	.022 <sup>+</sup>	-.005	.000	.005	.050***	.015	.011	.020	-.055***	.049***	-.052***	.096***	-.107***	-.048***	-.140***	.150***	.039**	-.123***	1	
21	Driver Cell Phone Use	-.010	.034**	.030**	.018	-.051***	.037**	.009	.003	-.001	-.015	-.005	-.037**	.013	-.002	-.015	.021 <sup>+</sup>	-.018	.001	.007	.004	1
22	Survey Number	.027 <sup>+</sup>	.026 <sup>+</sup>	-.009	.019	-.015	.019	-.013	.003	.011	.003	.039**	-.002	-.025 <sup>+</sup>	.001	.033**	-.026 <sup>+</sup>	.024 <sup>+</sup>	.436***	.017	.049***	-.007

p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

- a. When a passenger is present, correctly belted passenger = 1, and all other conditions (including incorrectly belted passengers or no passengers present) = 0.
- b. Correlations in each cell are pairwise (i.e., complete data available for both variables).
- c. The following variables were excluded because they were not highly correlated with driver safety belt use and for space limitations: Passenger age 0-14

Table D-7 Survey 1: Correlations between correctly belted passenger and driver, passenger, vehicle, and site characteristics (2,975 observations) <sup>a</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Belted Passenger	-																			
2	Sex of Passenger	.177***	-																		
3	Passenger Age 15-25	-.142***	-.150***	-																	
4	Passenger Age 65+	.111***	.119***	-.261***	-																
5	African-American Passenger	-.051**	-.043*	.034*	-.093***	-															
6	Belted Driver	.656***	.068***	-.096***	.110***	-.041*	-														
7	Driver Age 15-25	-.102***	-.125***	.603***	-.188***	.035*	-.087***	-													
8	Driver Age 65+	.106***	.116***	-.190***	.733***	-.075***	.086***	-.202***	-												
9	African-American Driver	-.077***	-.029	-.001	-.081***	.790***	-.065***	.005	-.071***	-											
10	SUV	.027	.033*	-.044**	-.031*	-.036*	.024	-.060***	-.051**	-.040*	-										
11	Van	.037*	.066***	-.104***	.007	.015	.039*	-.113***	.004	.011	-.213***	-									
12	Truck	-.102***	-.121***	.010	-.051**	-.036*	-.128***	-.027	-.024	-.040*	-.206***	-.158***	-								
13	Weekend Observation	.025	.055**	-.029	-.059**	-.054**	.017	.021	-.039*	-.051**	.041*	.007	-.039*	-							
14	Central Region	.020	-.030*	-.034*	.019	-.003	.006	-.036*	.026	-.010	.050**	-.009	.001	.096***	-						
15	Northeast Region	-.030	.020	-.072***	.002	.022	-.022	-.065***	-.007	.032*	.001	.009	-.007	.079***	-.480***	-					
16	Southeast Region	-.022	.013	-.016	-.006	-.051**	-.047**	-.040*	-.028	-.045**	.006	-.007	.004	-.154***	-.205***	-.248***	-				
17	Southwest Region	.027	-.005	.094***	-.029	.023	.048**	.097***	.005	.015	-.060**	.012	.000	-.072***	-.309***	-.374***	-.160***	-			
18	Sunny Conditions	.021	.004	-.003	-.003	.054**	.000	.029	-.010	.033*	-.008	.002	-.021	-.007	-.002	.058**	-.047**	-.022	-		
19	Intersection Site	-.052**	-.011	.029	-.007	-.026	-.066***	.022	.020	-.036*	.026	-.003	.040*	.052**	-.041*	.025	-.085***	.067***	-.028	-	
20	Traffic Volume at Site	.038*	.046**	-.024	.007	.082***	.026	.001	.010	.075***	.010	.017	-.051**	-.103***	.129***	-.100***	-.132***	.115***	.091***	-.155***	-
21	Driver Cell Phone Use	.010	-.017	.050**	-.054**	.020	.002	.034*	-.059**	.030*	.014	.004	-.013	-.029	.005	.016	.043**	-.046**	-.012	.007	.022

\* p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

a. The following variables were excluded because they were not highly correlated with driver safety belt use and for space limitations: Passenger age 0-14, Passenger Age 26-64, Driver Sex, Driver age 26-64, car, and Northwest region.

Table D-8 Survey 2: Correlations between correctly belted passenger and driver, passenger, vehicle, and site characteristics (3,591 observations) <sup>a</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Belted Passenger	-																			
2	Sex of Passenger	.164***	-																		
3	Passenger Age 15-25	-.102***	-.109***	-																	
4	Passenger Age 65+	.086***	.143***	-.243***	-																
5	African-American Passenger	-.071***	-.035*	.015	-.058***	-															
6	Belted Driver	.662***	.100***	-.083***	.088***	-.060***	-														
7	Driver Age 15-25	-.095***	-.117***	.599***	-.189***	.021	-.095***	-													
8	Driver Age 65+	.086***	.147***	-.201***	.766***	-.066***	.074***	-.190***	-												
9	African-American Driver	-.087***	-.021	.034*	-.069***	.770***	-.069***	.030*	-.064***	-											
10	SUV	.038*	.027	-.045**	-.047**	-.038*	.036*	-.063***	-.059***	-.041**	-										
11	Van	.030*	-.002	-.065***	-.010	-.016	.054**	-.106***	-.015	-.002	-.221***	-									
12	Truck	-.105***	-.114***	-.026	-.060***	-.039**	-.115***	-.030*	-.037*	-.050**	-.210***	-.165***	-								
13	Weekend Observation	.070***	.087***	-.046**	-.025	-.043**	.053**	-.032*	-.027	-.055***	.059***	-.020	-.024	-							
14	Central Region	.018	.005	-.028*	.005	.013	.002	-.024	.027	.013	.038*	-.017	-.019	.061***	-						
15	Northeast Region	.006	-.005	-.004	.018	-.003	.011	-.027	.004	-.024	-.026	-.009	-.005	.032*	-.455***	-					
16	Southeast Region	-.059***	-.017	.003	-.027	-.030*	-.056***	.010	-.027	-.041**	.001	-.012	.053**	-.130***	-.177***	-.226***	-				
17	Southwest Region	.004	-.009	.066***	-.022	.007	.026	.070***	-.026	.042**	-.007	.040**	-.021	-.075***	-.311***	-.398***	-.154***	-			
18	Sunny Conditions	-.011	-.033*	.034*	-.001	.044**	-.026	.048**	.010	.056***	.005	.014	-.007	-.114***	.133***	-.267***	.047**	.187***	-		
19	Intersection Site	-.031*	-.038*	.049**	.024	-.073***	-.045**	.007	.024	-.077***	.003	.013	.033*	-.018	.052**	.023	-.094***	.019	.009	-	
20	Traffic Volume at Site	.054**	.045**	-.012	.001	.037*	.054**	-.008	.003	.030*	.011	.021	-.058***	-.014	.071***	-.112***	-.146***	.175***	-.036*	-.099***	-
21	Driver Cell Phone Use	-.018	-.018	.036*	-.046**	.053**	-.020	.027	-.044**	.042**	-.006	-.005	-.017	-.043**	.021	-.017	.000	.006	.019	.007	-.009

\* p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

a. The following variables were excluded because they were not highly correlated with driver safety belt use and for space limitations: Passenger age 0-14, Passenger Age 26-64, Driver Sex, Driver age 26-64, car, and Northwest region.

Table D-9 Combined Surveys: Correlations between correctly belted passenger and driver, passenger, vehicle, and site characteristics (6,566 observations) <sup>a</sup>

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	Belted Passenger	-																				
2	Sex of Passenger	.170***	-																			
3	Passenger Age 15-25	-.121***	-.127***	-																		
4	Passenger Age 65+	.097***	.132***	-.251***	-																	
5	African-American Passenger	-.062***	-.038**	.024 <sup>†</sup>	-.074***	-																
6	Belted Driver	.660***	.085***	-.089***	.098***	-.051***	-															
7	Driver Age 15-25	-.098***	-.120***	.601***	-.188***	.027 <sup>†</sup>	-.092***	-														
8	Driver Age 65+	.095***	.133***	-.195***	.751***	-.070***	.079***	-.195***	-													
9	African-American Driver	-.081***	-.024 <sup>†</sup>	.018	-.074***	.777***	-.066***	.019	-.067***	-												
10	SUV	.033**	.030**	-.045***	-.040**	-.037**	.030**	-.062***	-.055***	-.040**	-											
11	Van	.034**	.028 <sup>†</sup>	-.083***	-.002	-.002	.047***	-.109***	-.006	.003	-.217***	-										
12	Truck	-.103***	-.117***	-.010	-.056***	-.038**	-.121***	-.029 <sup>†</sup>	-.031**	-.046***	-.208***	-.162***	-									
13	Weekend Observation	.049***	.072***	-.038**	-.040**	-.048***	.036**	-.008	-.032**	-.053***	.050***	-.008	-.031**	-								
14	Central Region	.018	-.012	-.030**	.012	.006	.003	-.029**	.027 <sup>†</sup>	.002	.043***	-.014	-.010	.077***	-							
15	Northeast Region	-.011	.006	-.035**	.011	.008	-.004	-.045***	-.001	.000	-.014	-.001	-.006	.053***	-.467***	-						
16	Southeast Region	-.042***	-.003	-.006	-.017	-.040**	-.052***	-.014	-.027 <sup>†</sup>	-.043***	.004	-.010	.030**	-.141***	-.190***	-.236***	-					
17	Southwest Region	.015	-.008	.078***	-.025 <sup>†</sup>	.014	.037**	.082***	-.013	.031**	-.030**	.028 <sup>†</sup>	-.012	-.074***	-.310***	-.387***	-.157***	-				
18	Sunny Conditions	.021 <sup>†</sup>	-.015	.010	-.009	.042***	.000	.032**	-.006	.050***	.001	.012	-.011	-.059***	.052***	-.106***	-.010	.094***	-			
19	Intersection Site	-.040**	-.026 <sup>†</sup>	.040**	.009	-.052***	-.054***	.014	.022 <sup>†</sup>	-.059***	.014	.006	.037**	.014	.009	.024 <sup>†</sup>	-.090***	.041***	.000	-		
20	Traffic Volume at Site	.049***	.045***	-.018	.003	.057***	.042***	-.005	.005	.050***	.011	.020	-.055***	-.052***	.096***	-.107***	-.140***	.150***	.039**	-.123***	-	
21	Driver Cell Phone Use	-.005	-.018	.042***	-.050***	.038**	-.010	.030**	-.051***	.037**	.003	-.001	-.015	-.037**	.013	-.002	.021 <sup>†</sup>	-.018	.001	.007	.004	-
22	Survey Number	.039**	.000	-.013	-.016	-.004	.027 <sup>†</sup>	-.009	-.015	.019	.003	.011	.003	-.002	-.025 <sup>†</sup>	.001	-.026 <sup>†</sup>	.024 <sup>†</sup>	.436***	.017	.049***	-.007

\* p ≤ .05, \*\* p ≤ .01, \*\*\* p ≤ .001

a. The following variables were excluded because they were not highly correlated with driver safety belt use and for space limitations: Passenger age 0-14, Passenger Age 26-64, Driver Sex, Driver age 26-64, car, and Northwest region.